

INDEX 1966, Nos. 1-4

NEW NAMES

Acanthemblemaria castroi, 426
Akysis hendricksoni, 467
Branchiostoma bennetti, 485
Coniophanes joanae, 665
Coralliozetes springeri, 435
Dactyloscopus thysanotus, 880
Eleutherodactylus barbudensis, 525
Eohiodon, 314

Golem cooperae, 475
Hemigrammocypripis lini, 290
Medusablennius, 56
Medusablennius chani, 56
Microdesmus carri, 326
Microdesmus suttkusi, 329
Neoharriotta carri, 443
Pithecopus ayeaye, 236

ESTABLISHED NAMES

Abies, 676
Ablepharus, 164-5, 233-4
 boutonii, 165, 230, 232, 235
 metallicum, 231
 lineo-ocellatus, 165
Abronia, 727, 731, 748
 vasconcelosi, 753
Abudefduf
 saxatilis vaigiensis, 271
Acacia, 100
 constricta, 678
Acanthemblemaria, 424
 balanorum, 424-5, 428-9, 435
 castroi, 424, 426-9
 hancocki, 428-9
 macrospilus, 424, 428-34
Acanthenchelys, 610
 spinicauda, 610
Acanthoclinus, 142
Acanthurus
 sanvicensis, 50-1, 53
Acantophthalmus
 anguillaris, 469
 javanicus, 469
 kuhli, 469
 muraeniformis, 469
Achirus
 lineatus, 800
 mazatlanus, 800
Acris, 524
 crepitans, 381
 blanchardi, 578-80
 gryllus, 578, 637
Adelotus
 brevis, 96
Adelphicos, 708, 726, 732, 748
 veraepacis, 753
Aequidens
 coeruleopunctatus, 791
Agalychnis, 225
Agama, 173
Agave, 676
Ageneiosus
 caucanus, 786
Agkistrodon, 153-5, 509, 511, 513-4, 727-8, 732,
 736, 748
 bilineatus, 706, 746
 contortrix mokeson, 151
 piscivorus, 149, 155
 leucostoma, 153, 156
 piscivorus, 506
 rhodostoma, 506

Agonostomus, 783
 monticola, 798
Akysis, 467, 469
 armatus, 467
 hendricksoni, 467-70
 leucorhynchus, 467
 macronemus, 467, 469
 maculipinnis, 467
 pictus, 467, 469
 prashadi, 467, 469-70
 variegatus, 467, 469
Alaria, 344-5
Alectrias, 344
Alepes
 djeddaba, 264
Alepisaurus, 896
Alvaro, 777, 779, 783
 cultratus, 789
 huberi, 789
Alligator, 884
 mississippiensis, 129, 552-4
Allohistium, 823, 825
Allomycterus
 jaculiferus, 820
Alnus, 320
Alosa, 313
 teres, 260
Alytes, 94, 96
 obstetricans, 93, 96
Amastridium, 708, 726, 732, 748
Ambloplites
 rupestris, 308-9
Amblyopsis, 310
 spelaea, 309-10
Amblyrhynchus, 742
 cristatus, 109, 241, 545
Ambystoma, 518-9
 jeffersonianum, 519
 laterale, 519
 macroductylum, 573-7
 maculatum, 148, 382, 515-9, 573-4, 576-7, 881
 opacum, 573-7
 talpoideum, 573-7
 tigrinum, 573-4, 576-7, 881-2
 maortium, 881
 melanostictum, 881
 nebulosum, 881
 slateri, 881
 tigrinum, 882
Ameiurus, 408
Ameiva, 381, 726, 731, 735, 742-3, 748-9
 ameiva, 703, 713, 717

- praesignis*, 371
festiva, 703-5, 743
leptophrys, 744
undulata, 703, 743
Amoletus, 484
Amia, 411
Amphacanthus
luridus, 267
siganus, 266
Amphibolurus, 97, 105, 108, 162, 165-7
barbatus, 104, 164-5
barbatus, 99, 102, 106
minimus, 100, 102, 104-7, 166, 168
minor, 100, 102, 104-6
caudicinctus, 100, 102, 105-6, 108, 164-6, 168
fionni, 230-2, 235
inermis, 100, 102, 104-8, 164-6, 168
maculatus, 100, 102, 164, 235
maculatus, 230-2
maculosus, 633
muricatus, 99, 102, 104, 111
ornatus, 106, 109, 164-6, 168
reticulatus, 100, 102, 104-6, 164, 166, 234
scutulatus, 100, 102, 104-5, 164
Amphichthys, 846, 848
argentinus, 847
Amphignathodon, 728
Amphilophus, 792
Amphiodon, 311, 313
Amphisbaena, 534, 536, 542, 545, 726, 731, 748
albissima, 534, 541-2, 547
bokslui, 534, 537, 540, 542, 548
boulengeri, 534, 540-2, 548
camura, 540
carruccii, 534, 537, 540-2, 548
carruccioi, 541
dubia, 534
fuliginosa, 209, 534, 540, 713
leeseri, 534
leucocephala, 542
matlogrossensis, 534, 537, 540, 542, 548
mertensi, 534-8, 540-7
mittchelli, 534
occidentalis, 534
pretrei, 542
silvestrii, 534
stejnegeri, 534
strauchi, 205, 221
vermicularis, 535, 541-2
Amphiuma, 598-9
means, 598-9
Amyzon, 319
Anableps
dowi, 775, 781, 789
Anacharis
occidentalis, 21
Anadia, 726, 731, 742, 748-9
Anchoa
curta, 795
hepsetus, 795
lamprotaenia, 795
lucida, 795
mittchilli, 795
munduloides, 794
panamensis, 794
parva, 795
spinifer, 794
Anchovia
macrolepidota, 794
Anchoviella
elongata, 795
Ancistrus
chagresi, 787
spinosus, 787
Ancylocranium, 210
Ancylosetta, 867
Aneides
aeneus, 251-2
Anguilla
clathrata, 633
rostrata, 796, 816
vulgaris, 816
Anilius, 728
Anolis, 81, 179-82, 707, 739, 743
acutus, 179-82
altae, 753
auratus, 371
biporcatus, 705, 707, 751
capito, 705, 707, 751
carolinensis, 109, 120, 168, 180, 522, 550
cobanensis, 753
crassulus, 753
cristatellus, 179-82
cupreus, 751, 759
curtus, 371
cuvieri, 179-82
evermanni, 179-82
frenatus, 705
gundlachi, 179-82
humilis, 704-5, 707, 751
intermedius, 753
kemptoni, 753
krugi, 179-82
laeviventris, 753
lemurinus, 751
lionotus, 751
nannodes, 753
pachypus, 753
pulchellus, 179-82
sericeus, 705
tropidolepis, 753
"Anolis A.", 726, 731, 739, 743-4, 748
"Anolis B.", 727, 731, 739, 743, 748
Anomalepis, 726, 731, 748
Anoplarchus, 340, 342, 344-5
insignis, 340-5
purpureus, 340-5
archolepis, 340, 344
insignis, 340
purpureus, 340
Anops, 210
Anotheca, 572, 726, 731, 748, 751
coronata, 708
Anotopterus, 896
pharao, 897
Antennarius
cryptacanthus, 475
Antennatus, 475
Aparallactus
modestus, 177
niger, 175
Aparasphenodon, 572, 728
Apareiodon
compressus, 784
dariensis, 784
Aphanius
dispar, 256, 258, 262
Aphos, 846
porosus, 848
Aphredoderus

sayanum
Aphyocy
Aphyocy
typus,
Aphyocy
chinensis
pooni,
Aplodino
grunni
Apogon
bifasci
nigrip
taenia
thurst
Apogoni
nigrip
taenia
Apogoni
Apostole
Aprasia
repens
Aprion
Aprion
brevip
brevir
Apteron
rostra
Aptycho
Aramus
guara
Archoce
Archom
boliva
sallei,
Archosa
aries,
Argonan
Arius, 7
assim
caeru
felis,
furth
guate
melan
multi
seema
taylor
tuyra
Arizona
elega
Arothra
Arripis
trutta
Artemis
latera
Aspidon
Aspis
ceras
viper
Astrobl
longi
Astyan
albec
fascia
kom
nasu
regan
rube
Atelop
chiri
variu

- sayanus*, 18, 472
Aphyocyprinus, 288, 290
Aphyocyprionides, 288
typus, 288, 290
Aphyocypris, 287-90, 293
chinensis, 290
pooni, 285-88, 290, 293
Aplodinotus
grunniens, 798
Apogon
bijasciatus, 264
nigripinnis, 264
taeniatus, 264
thurstoni, 264
Apogonichthyoides
nigripinnis, 256, 264
taeniatus, 264
Apogonichthys, 264
Apostolepis, 728
Aprasia, 167
repens, 166
Aprion, 259
Aprionodon
brevipinna, 259
brevirostris, 259
Apteronotus
rostratus, 786
Aptycholaemus, 728
Aramus
guarauna guarauna, 202
Archocentrus, 792
Archomenidia, 777, 780, 796
bolivari, 796
sallei, 796
Archosargus
aries, 798
Argonauta, 820
Arius, 795
assimilis, 795
caerulescens, 795
felis, 795
furthi, 795
guatemalensis, 795
melanopus, 795
multiradiatus, 795
seemani, 795
taylori, 795
tuyra, 795
Arizona
elegans, 680
Arothron, 602-3
Arripis
trutta, 819-21
Arctedius
lateralis, 29, 32, 40, 41
Aspidontus, 880
Aspis
cerastes, 506
vipera, 506
Astroblepus, 787
longijilis, 787
Astyanax, 768-70, 772, 774, 776
albeolus, 785
fasciatus, 775-6, 781, 784
kompis, 785
nasutus, 784
regani, 785
ruberrimus, 785
Atelopus, 724, 726, 731, 748-9
chiriquiensis, 753
variis, 753
Atherina
forskalii, 263
pinguis, 263
Atheris
chloroechis, 176-8
Atractaspis, 506
aterrima, 176
corpulenta, 177
Atractus, 726, 732, 748
Atriplex
julacea, 648
Atrosalarias, 59
Atule
djeddaba, 255-6, 264
Aulophallus, 783
Aulopus, 895
Austroperca, 823, 825
Awaous, 867
tajasica, 799
transandeanus, 799
Azemiops
feae, 506
Azolla, 320
Bachia, 742
Badis, 606
badis, 605-6
Baetis, 484
Bagarius, 808
Bagre
filamentosus, 795
marinus, 795
panamensis, 795
pinnimaculatus, 795
Baikia, 210
Bairdiella, 880
chrysura, 880
ronchus, 798
Balanus, 344-5
Barbus
stigma, 813
tor, 813, 815
Barilius, 293, 768
pulchellus, 293
ubangensis, 293
Basiliscus, 727, 731, 742, 744, 748
basiliscus, 371
plumifrons, 705
Bathygobius
mystacium, 799
Bathylagus, 877
alascanus, 877-8
milleri, 877-8
pacificus, 877-8
Bathypterois
longipes, 896
Batrachemys, 728
Batrachoides, 846, 848
goldmani, 778, 800
gilberti, 800
Batrachomoeus, 846, 848
Batrachophrynus, 75
Belonesox, 769, 781
belizanus, 778, 790
Benthosaurus, 896
Bipes, 210
biporus, 588
Bittis
arietans, 178
gabonica, 176-8

- lachesis*, 176-8
Blanus, 205-16, 218-21
aporus, 205, 221-2
bedriagae, 205, 208, 211, 221-2
cinereus, 205-7, 209-14, 216, 218-21
cinereus, 212
mettetali, 212
strauchi, 205, 218, 221, 223
aporus, 217, 221-2
bedriagae, 209, 215, 217, 221-2
strauchi, 208, 215, 217, 221
Blennioides
brevipinnis, 429
Blennius, 59
canevae, 434
inequalis, 434
Boa, 727, 731, 737, 743, 748
constrictor, 702-3
Boaedon
fuliginosus, 169, 172, 177
lineatus, 169, 171-2, 177-8
olivaceus, 177
virgatus, 172, 177
Boiga
blandingii, 174, 177-8
pulverulenta, 174, 177
Boleosoma, 823, 825
Bolitoglossa, 360-2, 669, 672, 704-5, 707, 727,
 731, 736, 738, 746, 748
adspersa, 360-1
altamazonica, 361-3
cerroensis, 753
chica, 361-3
cuchumatana, 753
engelhardti, 753
flavimembris, 753
franklini, 753
helmrichi, 753
lincolni, 753
marmorea, 753
morio, 753
nicefori, 360-1
omniumsanctorum, 753
peruviana, 361-3
pesrubra, 669-72
rostrata, 710, 753
sima, 361-3
sooyorum, 753
subpalmata, 669-72, 710, 753
torresi, 669-72
Bothrophthalmus
lineatus, 177
Bothrops, 708, 725, 732, 744, 749
alternatus, 202
bicolor, 753
godmani, 714, 753
lateralis, 753
nasutus, 705, 751
nigroviridis, 753
nummifer, 753
ophryomegas, 751, 759
schlegeli, 705, 751
undulatus, 714
Brachycephalus, 728
Brachydanio, 293
Brachydeuterus
auritus, 354
Brachylophus, 742
Brachyrhaphis, 777, 781, 783, 790
cascajalensis, 783, 789
episcopi, 789
hartwegi, 781, 789
parismina, 790
punctifer, 789
terrabensis, 789
rhabdophora, 789
Brachysaurus, 88
erythrogaster, 88
Bramocharax, 770, 773, 779, 782, 785
bransfordi, 785
elongatus, 785
Branchiostoma, 486
bennetti, 485-8
bermudae, 485
caribaeum, 485
floridae, 485-8
nigeriense, 486
platae, 485-6
virginiae, 485-6
Bregmaceros, 277
atlanticus, 604-5
Brevigobio, 288
kawabatae, 288
Brycon, 768-9, 772, 776
argenteus, 785
behrerae, 785
chagrensis, 785
guatemalensis, 785
obscurus, 785
petrosus, 785
striatulus, 785
Bryconamericus, 782
cascajalensis, 785
emperador, 785
ricae, 785
scleropariis, 785
zeteki, 785
Bufo, 74, 77-8, 92, 366, 595-7, 725, 731, 744,
 748, 753
americanus, 366, 594, 596
arenarum, 77
bocourti, 709, 714, 753
coccifer, 706, 750, 759
cognatus, 366
× mazatlanensis, 366
fastidiosus, 744, 753
fowleri, 366
× valliceps, 366
granulosus, 77, 371, 713
fernandezae, 77
major, 77
holdridgei, 753
ibarrae, 753
ictericus, 77
leutheni, 750, 759
marinus, 77, 371, 703
marinus, 77
poepfigi, 77
marmoreus, 712
mazatlanensis, 366
occidentalis, 709, 714
paracnemis, 77
simus, 744, 753
speciosus, 366-8
× woodhousei, 366-8
spinulosus, 77
arunco, 77
spinulosus, 77
trifolius, 77
tacnensis, 753

valliceps,
 × woodhousei
 woodhousei
 fowleri
Bumelia
angustifolia
Buteo
galapagoensis
Byrronima
crassifolia
Cadea, 210
Caecilia, 7
Caesiopora
lepidoptera
Caiman, 7
Calabaria
rheinhardi
Calamelata
unicolor
Calamodon
paucidentatus
Calamodon
paucidentatus
Callichthys
pabda
Callionymus
brunneus
filamentosus
indicus
haifae
Callisaurus
Callitris
Calliuriscus
filamentosus
Callopius
Calyptopoda
gayi, 7
Campodius
anomala
Caprodont
longirostris
Caranx
calla,
djeddi
fusus
gallus
hippocampus
kalla
kilich
latus
lutes
marginalis
Carcharias
azurostris
brevirostris
dussan
falcatus
floridus
galapagoensis
johnstoni
lamia
leucostictus
limbatus
maculatus
melanocephalus
menis
mil

- valliceps*, 366, 708
 × *woodhousei*, 366
woodhousei, 366-8
 fowleri, 581-2, 590
Bumelia
 angustifolia, 149
Buteo
 galapagoensis, 242
Byrsonima, 693
 crassifolia, 701, 716-7

Cadea, 210
Caecilia, 726, 731, 748-9
Caesioperca
 lepidoptera, 819-20
Caiman, 726, 732, 738, 743, 749, 882, 884
Calabaria
 rheinhardtii, 177
Calamela
 unicolor, 177
Calamodon, 885
 paucidens, 885
Calamodontophis, 885-6
 paucidens, 885
Callichrous
 pabda, 815
Callionymus, 266
 brunneus, 266
 filamentosus, 256, 266
 indicus, 267
 haijiae, 266
Callisaurus, 81, 523, 590, 742, 909
Callitris, 101
Calliurichthys
 filamentosus, 266
Callopietes, 742
Calyptoccephalella, 75
 gayi, 75
Campostoma
 anomalum, 308-9, 829
Caprodon
 longimanus, 821
Caranx, 300
 calla, 264
 djeddaba, 264
 fusus, 264
 gallus, 270
 hippos, 797
 kalla, 264
 kiliche, 270
 latus, 797
 lutescens, 819-21
 marginatus, 797
Carcharhinus, 259, 390, 620
 azureus, 397
 brevipinna, 255-6, 259, 269
 dussumieri, 452
 falciformis, 354-5, 382, 451-6
 floridanus, 354, 451
 galapagensis, 141
 johnsoni, 259
 lamiella, 142
 leucas, 349-50, 385-8, 390-2, 394-5, 397, 612,
 620-1, 794
 limbatus, 269, 355
 maculipinnis, 259
 melanopterus, 269
 menisorrhah, 300
 milberti, 348-50, 355
 nicaraguensis, 386, 391, 394, 397
 obscurus, 349-50, 452, 612
Carcharias
 brevipinna, 259
 lacustris, 386
 leucas, 351
 nicaraguensis, 386
 taurus, 351
Carluhubbsia, 778, 781
 kidderi, 790
 stuarti, 790
Carphophis
 amoenus, 381
Catolotus, 823, 825, 827
Catostomus, 309
 catostomus, 479
 commersonii, 310
Causus, 506
 rhombatus, 169, 176-8
Celestus, 726, 731, 748
 montanus, 753
 rozellae, 704-5
Centrolenella, 726, 731, 748
Centropomus
 armatus, 797
 ensiferus, 797
 nigrescens, 797
 parallelus, 797
 pectinatus, 797
 poeyi, 797
 robalo, 797
 undecimalis, 797
Cerathyla, 726, 731, 748-9, 760
Ceratophrys, 728
 calcarata, 524
 varia, 524
Cetorurus, 439
 crassiceps, 439
 globiceps, 382, 439, 440-1
 robustus, 439
Chaenopsis, 59, 425
 alepidota, 425
 schmitti, 424-6
Chaetostoma
 fischeri, 787
Chamaecyparis, 320
Chamaeleolis, 81
Chamaelinorops, 81
Channa
 punctatus, 815
Chanos
 chanos, 794
Characidium
 marshi, 784
Charina, 737
Chara, 614
Chasmodes, 59
Cheilopogon
 unicolor, 148
Chelonia
 mydas, 123
Chelydra, 727, 731, 748
 acutirostris, 746
Chelys, 728
Chiasmocleis, 726, 731, 741, 748-9, 760
Chilomeniscus, 662
 stramineus, 662
Chionactis, 364, 650-1, 655-7, 660-3
 occipitalis, 650, 654-5, 662
 annulata, 364

- Chirindia*, 210
Chironius, 726, 732, 748
Chiropterotriton, 707, 726, 731, 738, 743, 746, 748, 760, 762
 bromeliacia, 753
Chlamaelycus
 fasciatus, 177
Chlorophthalmus
 agassizi, 896
 nigripinnis, 819
Chloroscombrus
 chrysurus, 354
Chologaster, 309-10
 agassizii, 306, 308-9
Chriodorus
 atherinoides, 796
Chrosomus, 308
 erythrogaster, 308-9
Chrysemys, 727, 731, 736, 738, 748
 scripta, 746
Chrysophrys
 aurata, 257, 820-1
Cichlasoma, 769, 771, 773-4, 778, 782-3, 791-3
 acutum, 792
 affine, 793
 alfaroi, 792
 altifrons, 792
 anguiliferum, 791
 aureum, 779, 793
 balteatum, 791
 bifasciatum, 791
 bocourti, 792
 bulleri, 792
 caeruleogula, 791
 cajali, 793
 callolepis, 793
 calobrense, 793
 centrale, 793
 centrarchus, 792
 champtonis, 793
 citrinellum, 792
 cutteri, 792
 cyanoguttatum, 776
 dowi, 793
 eigenmanni, 791
 elliotti, 793
 erythraeum, 792
 evermanni, 792
 fenestratum, 779, 791
 friedrichsthalii, 779, 793
 gadawi, 791
 geddesi, 792
 godmani, 791
 gordonsmithi, 793
 guija, 792
 guttulatum, 779, 791
 hedricki, 792
 helleri, 793
 heterodontum, 792
 heterospilum, 791
 hicklingi, 791
 hogaboomorum, 793
 hyorhynchum, 793
 immaculatum, 792
 intermedium, 791
 irregulare, 791
 labiatum, 792
 lentiginosum, 791
 lethrinus, 792
 lobochilus, 792
 longimanus, 792
 macracanthum, 792
 maculicauda, 779, 791
 managuense, 793
 margaritiferum, 792
 meeki, 793
 melanurum, 791
 mento, 792
 microphthalmum, 791
 milleri, 791
 mojarra, 793
 motaguense, 793
 nebuliferum, 791
 nicaraguense, 791
 nigrofasciatum, 792
 oblongum, 791
 octofasciatum, 779, 792
 pasionis, 793
 pearsei, 792
 popenoei, 792
 robertsoni, 779, 792
 rostratum, 792
 salvini, 793
 sexfasciatum, 791
 sieboldi, 791
 spilotum, 793
 spilurum, 779, 792
 spinosissimum, 792
 synspilum, 791
 tenue, 793
 terrabae, 793
 trimaculatum, 793
 tuba, 793
 tuyrense, 792
 umbrikerum, 793
 urophthalmus, 779, 792
 zonatum, 791
Ciliata
 mustela, 279
Cinygmula, 484
Cirrhinuraena, 322
Cirrhina
 mrigala, 813, 815
 reba, 813
Cirrisomus, 603
Citharichthys
 gilberti, 800
 spilopterus, 800
Clarias
 batrachus, 622-4, 810-17
 magur, 137-9
Claudius, 726, 731, 748
 angustatus, 751
Clelia, 726, 732, 748
 clelia, 705
Clinocottus, 31, 33
 analis, 29-41
 recatus, 29, 31-3, 40-1
Clupea
 caeruleovittata, 633
 harengus, 609, 816
 harengus, 313
 pallasii, 313
 isingleena, 633
 Koval, 269
 nympheae, 633
 venulosa, 269
Cnemidophorus, 110, 373, 376, 498-9, 502-3, 585-7, 590-2, 644-9, 682, 727, 731, 735, 742-3, 748

angustice
 baccatus,
 catalinen
 celeripes
 cervalben
 deppei,
 disparili
 estabane
 grahami
 hyperyth
 beldin
 caerul
 danhe
 espiri
 hypen
 inornat
 hepta
 labialis
 lemmisc
 martyri
 maxim
 punctil
 sexline
 tesselat
 tesse
 tigris,
 64
 aeth
 canu
 celest
 dick
 este
 grac
 x
 mar
 mar
 pun
 rub
 sepi
 var
 unipa
 Coccoc
 atrata
 Cochra
 Cokeria
 cross
 Coleod
 Coleon
 elega
 mitr
 varia
 Coleot
 blaci
 star
 Colola
 saira
 Colub
 sim
 Come
 Comp
 gorp
 Conge
 Conio
 bre
 dici
 dro
 fiss
 a
 joa
 me

- angusticeps*, 704
baccatus, 498
catalinensis, 498
celeripes, 373-6
ceralebensis, 585-8
deppei, 703, 706, 751
disparilis, 498
estabanensis, 498-505
grahami, 499
hyperythrus, 585-8, 645, 647-9
 beldingi, 645, 647-9
 caeruleus, 587
 danheimae, 587
 espiritensis, 646
 hyperythrus, 587
inornatus, 646
 heptagrammus, 646-9
labialis, 644-50
lemniscatus, 743
martyris, 373
maximus, 374, 585, 588
punctilinealis, 498-9
sexlineatus, 110-3, 646, 649
tesselatus, 373-4, 380, 498-9, 586
 tesselatus, 499
tigris, 373-4, 498-9, 502-4, 585, 587-8, 590-2, 648, 682
 aethiops, 498-9, 501-4
 canus, 373, 502
 celeripes, 373-4
 dickersonae, 502
 estabanensis, 499
 gracilis, 498-9, 501-4, 682
 × *marmoratus*, 682
 marmoratus, 503-4, 682
 martyris, 502
 punctatus, 502
 rubidus, 373-4, 504, 587
 septentrionalis, 504
 variolosus, 503
uniparens, 648
Coccocella
 atrata, 897
Cochranella, 726, 731, 748
Cokeridia, 879
 crossota, 879
Coleodactylus, 728
Coleonyx, 522, 524, 727, 731, 748
 elegans, 706
 mitratus, 706
 variegatus, 382, 520-4
Coleotropis
 blackburni, 331
 starksi, 331
Cololabis
 saira, 821
Coluber, 727, 732, 748
 simus, 195
Comephorus, 30, 32
Compsura
 gorgonae, 784
Conger, 321
Coniophanes, 665, 667-8, 727, 732, 748
 brevifrons, 668
 dicipiens, 668
 dromiciformis, 668
 fissidens, 667-8, 705
 andresensis, 668
 joanae, 665-8
 meridanus, 665, 668
 piceivittis, 668
Conolophus, 742
 pallidus, 109
Conophis, 726, 732, 748
 lineatus, 704, 706
 pulcher, 706
Conopsis, 371-2
 nasus, 371-2
Constrictor
 constrictor, 589
Coragyps
 joetens, 123
Coralliozetes, 425, 437
 angelica, 424, 436-7
 boehlkei, 424, 435-6
 cardonae, 424, 436-7
 micropes, 436
 rosenblatti, 436
 springeri, 424, 435-7
Corallus, 726, 732, 737, 743, 748
Coregonus, 629
Coronella
 whymperi, 887
Corylus, 320
Coryphaenoides
 novaezelandiae, 275
Corythomantis, 78, 572
Corythophanes, 705, 726, 731, 742, 748
Cottus, 32, 337
 asper, 30, 41
 baileyi, 829
 bairdii, 23, 30, 479, 829
 semiscaber, 135
 carolinae, 308-9, 829
Creagrutus
 affinis, 785
 notropoides, 785
Crepidophryne, 726, 731, 744, 748
Crimia, 92
 darlingtoni, 633
Crocodylus, 742
Crocodylus, 727, 732, 738, 743, 749, 884
Crossodactylus, 728
Crotalus, 151, 506, 509, 679-80, 727, 730, 732, 748
 atrox, 506-7, 509, 511, 513, 676, 679, 680-2
 cerastes, 506
 durissus, 706
 horridus, 627
 lepidus, 378
 klauberi, 378, 683
 molossus, 378, 679-81, 682-3
 molossus, 676
 pricei pricei, 378, 683
 ruber, 506
 scutulatus, 506-7, 511, 513, 679, 680-2
 scutulatus, 676, 681
Crotaphopeltis
 hotamboeia, 169, 171, 174, 177-8
Crotaphytus
 collaris, 380
Cryptobatrachus, 728
Ctenoblepharis, 79, 81, 84-6
 adsperus, 89
 jamesi, 90
 schmidtii, 90
 stolzmanni, 90
Ctenogobius, 867, 869
 fasciatus, 867-9
Ctenolucius
 beani, 786

- Ctenophryne*, 728
Ctenosaura, 520, 726, 731, 742, 748
 similis, 704-5, 717
Cuora, 886
 flavomarginata, 886
Curatella, 693
 americana, 701, 717
Curimata
 magdalenae, 784
Cycleptus, 408
Cyclopsetta, 865, 867
Cyclopterus
 lumpus, 609
Cycloramphus, 75, 728
Cyclothone, 148, 631
Cyclura, 81, 742
Cynisca, 210
Cynoglossus
 sinusarabici, 267
Cynolebias, 839, 843-5
 bellottii, 839-46
Cynoscion
 arenarius, 798
Cyprinodon
 beltrani, 789
 dispar, 262
 macularius, 54
 variegatus, 788
 artifrons, 788-9
Cyprinus
 carpio, 813

Dactylagnus
 mundus, 331
 peratikos, 331
Dactyloscopus, 879
 crossotus, 879
 thysanotus, 798, 880
Daector, 846-9, 851-3, 857-62
 depressa, 846
 dowi, 846-9, 851-3, 855, 857-9, 860-3
 gerringi, 846, 849, 851-3, 857-8, 860-2
 reticulata, 846-7, 849-53, 857-8, 860-1
Danichthys
 unicolor, 270
Danio, 290, 293
Dasyatis
 uarnak, 259
 scabra, 174, 177, 893
Daubentonina, 238
Decapterus
 koheru, 820-1
 rhonchus, 270
Dendroaspis
 viridis, 176-8
Dendrobates, 705, 726, 731, 748, 754, 758
 auratus, 225, 371
Dendrophidion, 726, 732, 748
 vinitor, 705
Dendrophryniscus, 728
Dermatemys, 726, 731, 748
Dermatonotus, 728, 741
Dermochelys
 coriacea, 123
Dermophis, 704
Desmognathus, 193, 252
 auriculatus, 251-2
 fuscus, 251-2
 ochrophaeus, 252, 909

Diadophis
 punctatus, 381
Diaglena, 572
 reticulata, 706, 712
Diaphorolepis, 726, 732
Diapterus
 axillaris, 798
 brevimanus, 798
 evermanni, 797
 lineatus, 798
 mexicanus, 778, 798
 olithostomus, 798
 peruvianus, 798
 plumieri, 798
 rhombeus, 797
Diceratias, 142
Dicrodon, 728, 742
Diphorolepis, 732, 748-9
Diplecion, 824
Diplodactylus, 103, 162, 164-6, 233
 conspicillatus, 100, 102, 164, 166
 spinigerus, 100, 102
 spinigerus, 166
 strophurus
 intermedius, 230-2, 235
Diploglossus, 727, 731, 748
Diplolaena, 100
Dipodomys, 682
Diporiphora
 australis, 230-2, 235
Dipsadoboa
 duchesnii, 175
Dipsas, 705, 726, 732, 748
Dipsosaurus, 742
 dorsalis, 106, 108-9
Dispholidus
 tybus, 175, 177
Dollfusichthys
 sinus-arabici, 256, 267
Doras, 624
Dormitor
 latifrons, 799
 maculatus, 799
Dorosoma, 782
 anale, 777, 794
 chavesi, 782, 794
 petenense, 356, 794
Dracaena, 728, 742
Drepanoides, 728
Dromicus
 boursieri, 887
 dumerilii, 887
Dromophis
 lineatus, 175, 177
Drosophila, 530
Dryadophis, 726, 732, 748-9
 dorsalis, 753
 melanolomus, 703
 pleei, 371
Drymarchon, 725, 732, 748
 corais, 703
Drymobius, 725, 732, 748
 chloroticus, 714, 718
Drymoluber, 728
Dryophylax, 886
Dussumieria, 260
 acuta, 254-6, 260
 hasselti, 260
 productissima, 266

Echelus, 3
Echinosauro
 horrida
Echiostom
 barbatu
 callioba
 ctenoba
 cteno
 ramif
 guentheri
 tanneri
Echis, 511
 carinata
 colorata
Egernia,
 carinata
 cunning
 depress
 pulchr
 stokesi
Eigenma
 viresce
Ekemble
Elachista
Elaphe,
 flaviru
 rosalie
 subocu
 triaspi
 inte
Elaps
 coralli
 ibibob
 marcag
Eleotris
 amblyb
 isthm
 picta
 pison
Eleuther
 7
 alfred
 antill
 anzue
 barbu
 barla
 beata
 boco
 broce
 calci
 deco
 dum
 golln
 greg
 hyla
 john
 lime
 mac
 mar
 mat
 mel
 mex
 mon
 occi
 pod
 rico
 rod
 rug
 xuc
Elopi

- Echelus*, 322-3
Echinosaura, 726, 731, 742, 748-9, 760
 horrida, 705
Echiostoma, 43, 47-8
 barbatum, 43-9
 calliobarba, 44, 47-9
 ctenobarba, 47-8
 ctenobarba, 47-8
 ramifera, 44, 47-9
 guentheri, 47-8
 tanneri, 48
Echis, 511
 carinatus, 177
 colorata, 506
Egernia, 165
 carinata, 101-2
 cunninghami, 99, 102, 633
 depressa, 101-2, 165
 pulchra, 165
 stokesi, 101-2, 165
Eigenmannia
 virescens, 786
Ekemblemaria, 428
Elachistocleis, 728
Elaphe, 727, 732, 748
 flavirufa, 746
 rosalie, 649
 subocularis, 649
 triaspis, 746
 intermedia, 680
Elaps
 corallinus, 369-70
 ibiboboca, 369-70
 marcgravi, 369-70
Eleotris
 amblyopsis, 799
 isthmensis, 799
 picta, 799
 pisonis, 799
Eleutherodactylus, 75, 92, 381, 524-5, 528-9, 572,
 703-5, 707-8, 710, 725, 731, 744, 748
 alfredi, 524
 antillensis, 528
 anzuetoi, 753
 barbudensis, 524-29
 barlagnei, 526, 528-9
 beatae, 524
 bocourti, 753
 brocchi, 753
 calcitrans, 524
 decoratus, 524
 dunni, 524
 gollmeri, 751
 greggi, 753
 hylaeformis, 753
 johnstonei, 524, 526, 528-9
 lineatus, 753
 macedougalli, 524
 martinicensis, 524, 526, 528-9
 matudai, 753
 melanostictus, 753
 mexicanus, 524
 monnichorum, 753
 occidentalis, 524
 podiciferus, 753
 ricordi, 524
 rodopis, 524
 rugulosus, 524, 714
 xucanebi, 753
Elopichthys, 768
Elops
 affinis, 794
 saurus, 794
Elosia, 75, 728
Emblemaria, 59
Emblemariopsis
 diaphana, 434
Emydoidea, 886
 blandingi, 894
Enchelyopus
 cimbrius, 279
Enchytraeus
 albidus, 21
Engraulicypris, 293, 768
Engraulis
 australis, 820
 encrasicholus, 257, 261
 mordax, 821
 ringens, 821
Engystomops, 726, 731, 748-9
 pustulosus, 225-9, 704, 706
Enteromorpha, 478
Entomacrodus, 59
Entosphenus, 333
 tridentatus, 333
Enulius, 727, 732, 748
 flavitorques, 371, 751, 759
Enyalioides, 705, 726, 731, 748-9
 heterolepis, 705
Enyaliosaurus, 706-7, 726, 731, 742, 748, 759-60
 clarki, 707
 defensor, 707
 palearis, 707
 quinquecarinatus, 705-6
Eohiodon, 311, 314-7, 319
 rosei, 313-8
Ephedra, 678-82
Ephemerella, 484
Epicrates, 726, 732, 737, 743, 748
 cenchris, 713
Epinephelus
 alexandrinus, 271
 coromandelicus, 271
 dayi, 271
 morhua, 271
Equisetum, 320
Equula
 klunzingeri, 264
 lineatola, 264
Eretmochelys
 imbricata, 123
Erotelis
 armiger, 799
 smaragdus, 799
Erythrolamprus, 724, 726, 732, 749, 758
 aesculapii, 129
 ocellatus, 128-9
Eryx
 muelleri, 177
Esox, 4
 americanus, 1, 3, 4-8, 10, 12-3, 17-8
 americanus, 1, 3, 5, 7-16
 × *vermiculatus*, 7-8, 11-12
 umbrosus, 3-4
 vermiculatus, 1, 3-4, 5, 7-16
 clathratus, 4
 crassus, 4
 cypho, 3
 far, 261
 fasciatus, 3
 fasciolaris, 4

- lineatus*, 3
lucius, 3-4, 6, 16, 411, 816
 β americanus, 3
masquinongy, 16
niger, 3-6
 minor, 4
ornatus, 3
phaleratus, 3
porosus
 var. A, 3
 var. B, 3
ravenelii, 3
reticulatus, 4
salmoneus, 4
scomberius, 3
umbrosus, 3
 var. A, 3
 var. B, 3
vermiculatus, 3
vittatus, 4
Etheostoma, 28, 40, 308-9, 823-5, 827-8, 831-2, 834-5
 blennioides, 20, 308, 823-4, 827
 gutselli, 827
 blennius, 824-7
 caeruleum, 140, 308
 euzonum, 824
 flabellare, 829
 lineolatum, 140
 fricksium, 829
 fusiforme barratti, 833
 gutselli, 823
 histrio, 824, 827
 hopkinsi binotatum, 829
 hopkinsi, 829
 inscriptum, 823-9, 831, 833-7
 kanawhae, 824
 lepidum, 34
 olmstedii, 23
 osburni, 824
 rufilelineatum, 829
 rupestre, 824, 827
 saludae, 833
 sellare, 823-4, 826-7
 serriferum, 833
 simotermum, 829
 spectabile, 139
 swannanoa, 823-9, 831, 833, 835-7
 tetrazonum, 824
 thalassinum, 823-9, 831, 833-7
 variatum, 823-4
 zonale, 824, 827
Etrumeus
 teres, 255-6, 260
Eucalyptus, 100-1
Eucinostomus
 argenteus, 797
 gracilis, 797
 melanopterus, 797
 pseudogula, 797
Eugenia
 axillaris, 149
Euglyptosternum, 802, 809
 lineatum, 808
Eulamia
 milberti, 386, 396
 nicaraguensis, 386
Euleptoeleotris
 clarki, 799
 shropshirei, 799
Euleptorhamphus
 viridis, 148
Eulophus, 88
Eumeces, 727, 731, 736, 738, 746, 748
 altamirani, 708
 fasciatus, 109
 inexpectatus, 150, 157
 managuae, 708, 713
 obsoletus, 109
 schwartzei, 706, 708, 746
 sumichrasti, 704
Eunectes, 728, 737, 743
Eunice
 viridis, 299
Eupemphix, 728
 pustulosus, 371, 524
Eupsophus, 75, 728
Eurycea
 bislineata, 559
 multiplicata, 558-9
 nana, 559
 neotenes, 559
Euscarus
 cretensis, 271
Euspondylus, 728
Euthynnus
 alletteratus, 263, 266-7, 355
Evermannella
 atlantica, 897
 balbo, 897
 indica, 896
 sicaria, 897
Evorthodus, 867
 lyricus, 799
Exocoetus
 brachypterus, 261
 mento, 261
Ficimia, 371-2, 727, 732, 748
 cana, 680
 olivacea streckeri, 372
 publia, 372
 ruspator, 372
 variegata, 372
Floridichthys
 carpio, 789
 polyommus, 789
 barbouri, 789
Fluta
 alba, 469
Franseria
 chenopodiifolia, 648
Fucus, 344-5
Fundulus, 619, 637, 813, 815
 cingulatus, 878-9
 confluentus, 619
 diaphanus, 18
 grandissimus, 788
 heteroclitis, 411, 616-9
 lineolatus, 353
 notti, 353
 dispar, 353
 lineolatus, 353
 notti, 353
 persimilis, 788
Furmastix, 780
 infernalis, 778, 794
Gadus
 morhua, 279, 816
Galagos, 238

Galeichthys
 felis, 880
Galiozerda
 cuvieri,
Gambusia
 affinis,
 lurida, 75
 nicaragae
 punctat
 sextadid
 yucatan
Gammarrus
Garmanella
 pulchra
Garmann
 spes, 80
 hildebr
 homoc
 garra, 87
Gasterop
 macula
Gasteros
 aculea
Gastroph
 pictive
Gastroph
Gastrops
Gastrop
 smara
Gastroth
 Gavialis
Gehyra
 punct
 varieg
Geoche
Geoemy
 rubia
Geoph
 crassi
Geophi
 carin
 dolic
 dubi
 hoff
 rhod
 zele
Gephy
 atri
 inter
 wha
Gerres
 cine
 oblo
Gerrh
 vir
 mor
 mor
 mu
Ghan
Gibb
Gila
 cof
Ging
 cir
Gloss
 at
Glyp
 ca
 ho

- Galeichthys*, 795
felis, 880
Galiocерdo
cuvieri, 349-50, 612
Gambusia, 53, 614-6, 776, 781, 783, 790
affinis, 51, 308-9, 614
lurida, 790
nicaraguensis, 777-8, 790
punctata, 51
sexradiata, 790
yucatanica, 778, 790
Gammarus, 310
Garmanella
pulchra, 789
Garmannia, 867
spes, 800
hildebrandi, 799
homochroma, 799
Garra, 872, 874
Gasteropelecus
maculatus, 786
Gasterosteus, 909
aculeatus, 338, 816
Gastrophryne, 726, 731, 733, 741, 748
pictiventris, 751
Gastrophysus, 268, 603
Gastropsetta, 867
Gastroptyxis
smaragdina, 173, 177
Gastrotheca, 78, 726, 731, 748-9, 760
Gavialis, 883
Gehyra, 103, 162, 164, 166, 233
punctata, 100, 102, 104, 106, 166
variegata, 100, 102, 106, 166, 230-2, 235
Geochelone, 726, 731, 744, 748
Geoemyda
rubida, 713
Geophagus
crassilabris, 791
Geophis, 708, 727, 732, 748
carinosus, 753
dolichocephalus, 753
dubius, 753
hoffmanni, 753
rhodogaster, 753
zeledoni, 753
Gephyrocharax
atricaudatus, 785
intermedius, 785
whaleri, 785
Gerres
cinereus, 797
oblongus, 264
Gerrhonotus, 710, 714, 718, 727, 731, 748, 760, 762
viridiflavus, 711
monticola, 711, 723, 753
moreleti, 710-1, 753
multicarinatus, 588
Ghania, 101
Gibbonsia, 59
Gila
copei, 134-5
Ginglymostoma
cirratum, 300, 349-50
Glossostoma, 726, 731, 741, 748
aterrimum, 708
Glyptothorax, 802, 808-9
cavia, 802-9
horai, 808-9
kashmirensis, 808-9
lonah, 808
Gobica, 869
Gobiesox
nudus, 783, 800
potamius, 783, 800
Gobioides
broussonneti, 800
Gobiomorus
dormitor, 799
maculatus, 799
Gobionellus, 867-9
boleosoma, 799, 869
claytonii, 799, 867-9
daguae, 799
hastatus, 799
manglicola, 869
microdon, 799
oceanicus, 868
sagittula, 799
shufeldti, 799, 869
stigmaticus, 867, 869
Gobiosoma, 867
Gobius
boleosoma, 869
claytonii, 869
fasciatus, 867
lanceolatus, 868
lenkoranicus, 633
Golem, 475, 477
cooperae, 475-7
cryptacanthus, 475, 477
Gomesophis, 886
Gonatodes, 726, 731, 748
albogularis fuscus, 371
fuscus, 704
Gopherus
polyphemus, 909
Graptomys, 368
geographica, 368-9
pseudogeographica, 368-9
Grayia
smythii, 174, 177
Guavina
guavina, 799
microphus, 783, 799
Gunnelichthys, 325
Gyalopion, 371-2
canum, 372
quadrangularis, 372
Gymnophthalmus, 726, 731, 742, 748
speciosus, 371
Gymnopsis, 704, 727, 731, 748
mexicanus, 751
Gymnothorax
javanicus, 300
mordax, 300
Gymnotus, 769, 772, 775, 786
carapo, 786
cylindricus, 786
Gyrinophilus
porphyriticus, 184, 558
Halophryne, 846
diemensis, 848
Hapsidophrys
lineata, 173, 177
Harengula
pensacolatae, 794, 880
punctata, 269

- rouxi, 354
 thrissina, 794
Harriotta
 pinnata, 443
 raleighana, 448, 450
Heleiporus, 92, 96
 albopunctatus, 92
 eyrei, 92-6
Helicolenus
 dactylopterus, 877
 maderensis, 877
Helicops, 371-2, 726, 732, 749, 886
Helminthophis, 726, 731, 748
Heloderma, 365-6, 727, 730-1, 748
 suspectum, 365
 cinctum, 365
Helostoma, 380
Hemibrycon
 dariensis, 785
Hemieleotris
 latifasciatus, 783, 799
Hemiergis, 104, 164, 166-7
 decreseense, 230-2, 235
 initiale, 165
 quadrilineatum, 101-3, 105, 108, 164-5
 peronii, 230-2, 235
Hemigrammocypripis, 285, 287-8, 290
 lini, 285-9, 290-2, 295
 rasborella, 288-9, 292
 typus, 288, 291-2
Hemipterois, 896
Hemiramphus
 dussumierii, 270
 far, 256, 261, 270
 gamberur, 270
 georgii, 270
 intermedius, 820
 marginatus, 261, 270
 reynoldi, 270
 unifasciatus, 270
Hepsetia, 263
 pinguis, 263
Herichthys, 792
 underwoodi, 791
Herotilapia, 773, 782
 multispinosa, 794
Heterandria, 790
 bimaculata, 790
Heterodon, 193, 195-6
 dorbignyi, 195-6
 histricus, 195, 203
 nasicus, 195, 381, 680
 kennerlyi, 680
 nattereri, 203
 platyrhinos, 195, 381
 plionasicus, 195
 pulcher, 202
 semicinctus, 195, 202
Heteronota, 103-4, 162, 164, 166, 233
 binoei, 101-2, 106, 166, 230-2, 234-5
Heterophallus, 778, 790
 echeogaryi, 790
 rachowi, 790
Heteropneustes, 813, 815
 fossilis, 137-9
Hicoria
 glabra, 149
Hilaria
 rigida, 114-5, 120
Himantura
 uarnak, 255-6, 259-60
Hiodon, 311-7, 319
 alosoides, 311, 313-4, 316-7, 319
 tergisus, 311-2, 314, 316-7, 319
Hispaniolus, 79
Holbrookia, 81, 523, 742
 maculata, 126-8
Holocentrus
 rubrum, 256, 262
Hololepis, 823, 825
Holotropis, 87-8
 herminieri, 87
 microlophus, 87
 trachycephalus, 88
Homonota, 728
Hoplias
 malabaricus, 786
 microlepis, 786
Hoplocephalus
 carinatus, 893
Hoplocercus, 728
Hoplosternum
 thoracatum, 787
Hormonotus
 modestus, 177
Hybopsis, 875
 aestivalis tetranemus, 875
 gelida, 872-5
 storieriana, 875
Hyborhynchus
 confertus, 457
Hydrocynus, 768
Hydrolagus, 132-3
 collei, 132
Hydromedusa, 728
Hydromorphus, 752-6, 732, 744, 748
Hydrops, 728
Hygophum, 304
 hygomi, 304
Hyla, 78, 524-5, 638-43, 710, 725, 731, 744, 748
 angustilineata, 753
 arbores, 578-9
 barbudensis, 524-6, 529
 bocourti, 753
 bromeliacea, 708, 753
 brunnea, 572
 cinerea, 637-40, 642-3
 crepitans, 713
 crucifer, 643
 dominicensis, 572
 ebraccata, 704-5, 749, 758
 euphorbiacea, 709-714
 eximia, 381
 leucophylata, 749
 loquax, 704, 751
 microcephala, 371, 752
 miotympanum, 708
 phlebodes, 751-2
 picadoi, 753
 pictipes, 753
 pseudopuma, 753
 rivularis, 753
 robertmertensi, 750, 752, 759
 rosenbergi, 225
 rubra, 381, 713
 sartori, 752
 septentrionalis, 562-72
 squirella, 894
 staufferi, 706
 uranoc
 versico
 walker
 zeteki
Hylodes
 martini
Hystom
 newma
Hypent
 nigric
Hyperch
 tanney
Hyphess
 compr
 miller
 panam
 tortug
Hypoba
 aquae
 barbe
 champ
 inguin
 variol
Hypopo
 occide
Hyporh
 mexic
 pica
 rober
 snyde
 xanth
Hyposi
 pleco
Hypsib
Hypsig
 ochro
 torqu
Hypsol
 Icelinu
 filam
Ichthy
 gag
Ictalur
 furc
 mela
 meri
Ictiobu
 bubu
 meri
Iguan
 igu
Ilex
 vom
Ilisha
 furt
Imant
 cena
Impar
Ioa, 85
Istible
Istiom
 indi
Istiop
 ame
 glac
Isurus
 glut
 oxy

- uranochroa*, 707-9
versicolor, 637-8, 640-1
walkeri, 709, 714, 753
zeteki, 708
Hylodes
martinicensis, 529
Hyostoma, 824
newmanii, 824
Hyptentelium, 309
nigricans, 308
Hyperchoristus
tanneri, 47-8
Hyphessobrycon, 769, 772, 776, 785
compressus, 785
milleri, 785
panamensis, 785
tortuguerae, 785
Hypopachius, 726, 731, 733, 741, 748
aquae, 753
barbevi, 753
championi, 759
inguinalis, 753
variolosus, 751
Hypopomus
occidentalis, 786
Hyporhamphus
mexicanus, 777, 796
picarti, 270
roberti hildebrandi, 796
snyderi, 796
xanthopterus, 270
Hyposiomus
plecostomus, 787
Hypsibatus, 88
Hypsiglena, 378
ochrorhynchus deserticola, 379
torquata, 680
Hypsoblennius, 59, 429

Icelinus
filamentosus, 31
Ichthyomyzon, 335
gagai, 337-8
Ictalurus, 310, 770, 779
furcatus, 775
melas, 308-9
meridionalis, 786
Ictiobus, 770, 779
bubalus, 774, 786
meridionalis, 786
Iguana, 81, 727, 731, 742, 748
iguana, 109, 703
Ilex
vomitatoria, 149
Ilisha
furthi, 794
Imantodes, 726, 732, 749
cenchoa, 705
Imparales, 786
Ioa, 823, 825
Istiblennius, 431
Istiompax
indicus, 818, 821
Istiophorus, 272
americanus, 819
gladius, 271
Isurus
glaucus, 141
oxyrinchus, 141

Joturus, 783
picardi, 798
Juglans, 320

Katsuwonus, 821
pelamis, 355, 820-1
Kenozoa, 4
Kentropyx, 728, 742
Kinosternon, 727, 731, 748
panamensis, 371
Klauberina, 590
Kuhlia
taeniura, 51
Kyarranus, 92

Labrisomus, 59
Lacerta
agilis, 120
muralis, 120
Lachesis, 726, 732, 749
muta, 705
Laemantus, 705, 726, 731, 742, 748, 754, 758
deborrei, 751
Laeops, 867
Lagocephalus, 602-3
lagocephalus, 602-3
lunaris, 268
pennantii, 602-3
spadiceus, 268
stellatus, 602-3
Lampetra, 333
aepyptera, 337
japonica, 332-8
kessleri, 334
lamottenii, 332, 334, 336-8
tridentata, 333, 338
wilderi, 337
Lampropteltis, 727, 732, 748
doliata gentilis, 379
taylori, 379
getulus, 680
triangulum amaura, 584
Larrea
divaricata, 114-5, 120, 365, 661
tridentata, 648
Lasiancistrus
planiceps, 787
Lebias
dispar, 262
Lebistes, 281, 769
reticulatus, 280
Lecythis, 226
Leimadophis, 726, 732, 749
Leiocephalus, 79-81, 86-9
carinatus, 79, 81, 87
aquarius, 88-9
armouri, 88-9
carinatus, 83, 85, 88-9
cayensis, 88-9
coryi, 88-9
granti, 88-9
helenae, 88
labrossytus, 88-9
microcyon, 88-9
mogotensis, 88-9
picinus, 88
varius, 88-9
virescens, 88-9
zayasi, 88-9

- cubensis cubensis*, 88-9
gigas, 88-9
pambasileus, 88-9
paraphrus, 88-9
eremitus, 84, 88-9
formosus, 88
grayii, 87
greenwayi, 79, 84, 88-9
herminieri, 84, 86-90
inaguae, 82-3, 88-9
loxogrammus, 81
loxogrammus, 88-9
parnell, 88
macleayi, 87
macropus hoplites, 88-9
hyacinthurus, 88-9
immaculatus, 88-9
koopmani, 88-9
macropus, 88-9
melanochlorus, 88-9
ornatus, 87
personatus, 83-4
altavelensis, 88-9
arenicolor, 88-9
aureus, 88
barahoenis, 88-9
beatanus, 88-9
louisae, 88-9
lunatus, 88-9
mentalis, 88-9
personatus, 88-9
pulcherrimus, 88-9
scalaris, 88-9
semilineatus, 88-9
trujilloensis, 88-9
vinculum, 88-9
pratensis, 83-4, 88-9
psammodromus, 82, 88-9
punctatus, 79, 81, 84, 88-9
raviceps klinikowskii, 88-9
raviceps, 88-9
uzzelli, 88-9
chreibersii, 87-9
stictogaster asticus, 88-9
exotheutus, 88-9
lucianus, 88-9
sierrae, 88
stictogaster, 88-9
Leignathus
lineolatus, 264
klunzingeri, 254-7, 261, 264-5
mediterraneus, 264
Leiopisina, 165, 727, 731, 746, 748
incertum, 753
metallicum, 230-1, 233-4
Leiosomus, 603
lacvissimus, 603
Lepidoblepharis, 727, 731, 748
xanthostigma, 705
Lepidochelys
olivacea, 123-4
Lepidogobius
lepidus, 813, 816
Lepidophyma, 725-6, 731, 748
flavimaculatum, 704
Lepidosternon
strauchi, 540
Lepidosternum
strauchii, 541
Lepisosteus
tropicus, 779, 788
Lepomis, 310
cyaneus, 308-9
humilis, 408
macrochirus, 308, 594-6
megalotis, 140, 308-9
Leposoma, 726, 731, 742, 748-9, 760
Leposternon, 210, 541, 728
Leptoancistrus
canensis, 787
Leptocottus
armatus, 31
Leptodactylus, 74-5, 524, 726, 731, 748-9
bolivianus, 75-6
insularum, 371
bufonius, 75-6
chaquensis, 75-6
dengleri, 76
insularum, 225
labialis, 371, 703
labyrinthicus, 76
laticeps, 75-6
melanonotus, 75-6, 524, 703
ocellatus, 75-6
pentadactylus, 75-6, 78, 524, 704
petersi, 76
podicipinus, 75-6
poecilochilus, 371
prognathus, 75-6
rubido, 76
sibilatrix, 75
Leptodeira, 727, 732, 748
annulata, 549, 706
rhombifera, 371
nigrofasciata, 706, 751
septentrionalis, 703, 705, 714
ornata, 705
Leptodrymus, 713, 726, 732, 749
pulcherrimus, 751
Leptomicrurus, 728
Leptophilypnus, 778, 799
fluvialis, 799
panamensis, 783, 799
Leptophis, 727, 732, 749
ahaetulla, 705
diplotropis, 712
Leptotyphlops, 125, 379, 725, 731, 744, 748
bilineata, 125
Lestidiops
jayakari jayakari, 897
affinis, 897
Leuciscus, 314
rosai, 311, 314-5
Leuresthes, 41
tenuis, 39
Lialis
burtonii, 105, 166
Lichanura, 737
Lichia
amia, 257
Lile
stolifera, 794
Limia, 769
Limnaeoedus, 524
Limnodynastes
dorsalis, 633
peroni, 96
tasmaniensis, 96
Lineatriton, 707, 738, 746

Lioheterodon
Liolaemus
alticola
annectens
boulengeri
burgeri
chacoensis
chilensis
cyanogaster
darwini
elongatus
fitzingeri
gracilis
gravenhorstii
kingi, 85
lemniscatus
lineomaculatus
lutzae, 8
multifasciatus
multinotatus
nigromaculatus
pantherinus
pictus, 8
platei, 8
rothi, 8
tenuis
walkeri
wiemansi
Liophis
atahuensis
boursieri
Liotyphlops
albirostris
Liparis
mucosus
Liza
carinata
seheli
Loricaria
altipinna
capetana
filamentosa
latior
uracanthus
variegatus
Lota
vulgaris
Loxocoele
bicolor
Lucaya
Luciobrama
Luciocheilichthys
Luciosoma
Lucius
Lutjanus
apodus
argenteus
bohadschii
coloratus
cyanopterus
gibbifer
griseus
jocundus
novus
Lycengis
poeyana
Lycium
californicum
Lycomys
argenteus

- Lioheterodon*, 195
Liolaemus, 79, 81-6, 728, 742
 alticolor, 89
 annectens, 89
 boulengeri, 89
 burgeri, 89
 chacoensis, 89
 chiliensis, 89
 cyanogaster, 89
 darwini, 89
 elongatus, 89
 fitzingeri, 89
 gracilis, 89
 gravenhorsti, 89
 kingi, 89
 lemniscatus, 89
 lineomaculatus, 89
 lutzae, 89
 multiformis, 89
 multimaculatus, 89
 nigromaculatus, 89
 pantherinus, 89
 pictus, 89
 platei, 89
 rothi, 89
 tenuis, 89
 walkeri, 89
 wiemanni, 89
Liophis, 728
 atahuallpae, 887
 boursieri, 887
Liotyphlops, 726, 731, 748
 albirostris, 371
Liparis
 mucosus, 29, 32, 41
Liza
 carinata, 255-6, 263
 seheli, 263
Loricaria
 altipinnis, 788
 capetensis, 788
 filamentosa, 788
 latiura, 788
 uracantha, 788
 variegata, 788
Lota
 vulgaris, 409
Loxocemus, 726, 732, 737, 743, 748, 759
 bicolor, 706, 751, 759
Lucayablennius, 59
Luciobrama, 768
Luciocephalus, 380
Luciosoma, 293
Lucius, 4
Lutjanus
 apodus, 797
 argentiventris, 797
 bohar, 297-300
 colorado, 797
 cyanopterus, 797
 gibbus, 297
 griseus, 797
 jocu, 797
 novemfasciatus, 797
Lycengraulis
 poeyi, 795
Lycium
 californicum, 648
Lyconodes, 275-6, 279-80
 argenteus, 277
Lyconus, 275-7, 279-80
 brachycolus, 275, 277, 279
 pinnatus, 275, 277
Lygophidium
 irroratum, 172, 177
 semicinctum, 172
Lygophis, 726, 732, 749, 887
 boursieri, 886-7
 whymperi, 887-8
Lygosoma
 arborens, 593-4
 jagori grande, 593-4
 laterale, 109, 588
 sabanus, 594
Lystrophis, 193-8, 200-1
 dorbignyi, 193-202
 histricus, 193, 196-7, 200-1, 203
 semicinctus, 193, 195-7, 200-2
 weiseri, 203
Mabuya, 725, 731, 736, 746, 748
 brachypoda, 371, 704
Macropodus
 opercularis, 606-7
Macruronus, 275-7, 279-80
 caninus, 275
 capensis, 275
 maderensis, 275
 magellanicus, 275-7, 279
 novaezelandiae, 275
Magnadigila, 672
Makaira
 nigricans, 818, 821
Malaclemys
 centrata, 549
Malacotenus, 59
Manolepis
 putnami, 713
Mastacembelus
 maculatus, 469
Masticophis, 378
 bilineatis lineolatus, 379
 sleveni, 379
 flagellum, 588
 mentovarius, 704, 706, 717
 taeniatus taeniatus, 379
Medusablennius, 56, 58-60
 chani, 56-9
Megalops, 396
 atlanticus, 794
Meganectiphanes
 norvegica, 304
Mehelya
 guirali, 172, 177
 poensis, 171-2, 177
Meizodon
 coronatus, 177
Melaniris, 796
 chagresi, 783, 796
 guatemalensis, 796
 guja, 796
 meeki, 796
 sardina, 782, 796
Melanonus, 277, 279
Melanophryniscus, 74, 78, 728
 atroluteus, 202
 moreirae, 78
Melanostigma
 pammelas, 601-2
Melanosuchus, 729, 738, 743, 884

- Membras*
martinica, 796
Menidia, 796
colei, 796
Merluccius, 275-7, 279
albidus, 301
bilinearis, 301
hubbsi, 277
merluccius, 265-6
Metasequoia, 320
Microbatrachylus
pygmaeus, 524
Microdesmus, 325-9, 331
aethiopicus, 331
affinis, 330-1
carri, 325-31
lanceolatus, 328
longipinnis, 325, 328, 330
retropinnis, 331
suttkusi, 325-31
woodsii, 325
Microoleotris
mindii, 799
Microgobius
miraflorensis, 799
Micromesistius
poutassou, 146, 301-4
Microperca, 823, 825
Micropoecilia, 769
Micropogon, 880
altipinnis, 798
furnieri, 798
undulatus, 880
Micropterus, 18, 813
dolomieu, 139
punctulatus, 308-9
Microsaura
pumila, 549
Micrurus, 705, 708, 725, 732, 744, 749
alleni, 751
corallinus, 369-70
ibiboboca, 369-70
marcgravi, 370
nigrocinctus, 753
Miodon
acanthias, 177
Mollienesis, 769
sphenops gilli, 789
Moloch
horridus, 100, 102, 104-6, 234
Molva, 279
Monacanthus
setifer, 267
Monopeltis, 210
Morone
punctata, 257
labrax, 257
Morunasaurus, 726, 731, 748-9
Mourasuchus, 882-4
amazonensis, 882-4
atopus, 882-4
Mugil, 798
auratus, 257
carinatus, 263
cephalotus, 270
cephalus, 257, 270, 798, 880
curema, 798
liza, 798
oeur, 270
seheli, 263
trichodon, 798
Mulloidides
auriflamma, 265
flavolineatus, 265
Mulloidichthys, 298
auriflamma, 265
Muraenesox, 324
cinereus, 324
Muraenichthys, 321-2
cookei, 324
Muraenolepis, 276-7, 279
Mustelus
canis, 348, 350, 453
laevis, 455
Myrophis, 321-2
punctatus, 324, 795
Mystus
vittatus, 815
Mytilus
californianus, 29, 33
Myoxocephalus
scorpius, 33
Naja
melanoleuca, 169, 175-8
nigricollis, 169, 175-8
Nanostoma, 824
inscriptum, 833
swannanoa, 835
thalassinum, 831
Natriciteres
fuliginoides, 177
olivaceus, 177
variegatus, 171-2, 177
Natrix, 153
anoscopus, 172, 177
grahami, 381
sipedon, 235, 894
Neenchebys, 321-4
buitendijki, 321-4
microtretus, 321, 324
Neotropopolis, 773, 782
neematopus, 794
panamensis, 794
Negaprion, 142
brevirostris, 349
Neoclinus, 59
Neoharriotta, 443-4, 448-9
carri, 443-50
pinnata, 443-4, 448-50
Neoheterandria, 783
cana, 790
tridentiger, 780
umbratilis, 783, 790
Neotoma, 682
Nephurus
laevis, 101, 105, 230-2, 235
Nettosuchus, 882, 884
atopus, 882-4
Netuma
oscula, 795
planiceps, 795
Neusticurus, 726, 731, 742, 748
Nicholsicypris, 290
Ninia, 708, 727, 732, 749
cerroensis, 753
psephota, 753
Notaden
bennetti, 524

Nothono
inscrip
thalass
Nothops
rugosus
Notolepi
rissoi
Notopte
chitala
notopi
Notothe
Notropis
ardens
atheri
bifren
bucha
chryso
spilop
voluca
Noturus
insign
leptac
Novodon
conve
Odontop
ameri
occide
Odontot
brave
Oedipipi
7
salva
unifo
Olearia
Oligoce
Oligoco
snyde
Oligopi
mun
sauru
Ommas
sloan
sloam
Oncorh
gorb
keta
nerke
X
Oosteti
linea
Opheo
maye
Ophib
dolic
Ophic
pun
Ophic
gutt
ocel
retro
spin
zono
Ophid
trich
Ophio
stein
Ophis
atte

- Nothonotus*, 823, 825
 inscriptus, 833
 thalassinus, 831
Nothopsis, 726, 732, 747, 749, 760
 rugosus, 747
Notolepis
 rissoi rissoi, 897
Notopterus, 319, 352
 chitala, 352-3, 411
 notopterus, 352
Nototheca, 728
Notropis, 306, 309
 ardens, 308
 atherinoides, 310
 bifrenatus, 406
 buchanani, 382, 403-12
 chrysocephalus, 308
 spilopterus, 308, 310
 volucellus, 382, 403-12
Noturus
 insignis, 23, 829
 leptacanthus, 829
Novodon
 convexirostris, 819-20
Odontophrynus, 74, 78, 728
 americanus, 78, 202
 occidentalis, 78
Odontostomops
 braveri, 897
Oedipina, 704-5, 707, 727, 729, 731, 738, 746, 748,
 753, 758
 salvadorensis, 713
 uniformis, 753
Olearia, 100
Oligocephalus, 823, 825, 827
Oligocottus
 snyderi, 31, 34
Oligopites
 mundus, 797
 saurus, 797
Omnastrephes
 sloani pacificus, 819
 sloani, 819-21
Oncorhynchus, 614, 816-7
 gorbuscha, 338
 keta, 338
 nerka, 334, 357-9
 × *Salvelinus fontinalis*, 357, 359
Oostethus, 796
 lineatus, 796
Opheodrys, 727, 732, 748
 mayae, 746
Ophibolus
 doliatus parallelus, 584
Ophicephalus
 punctatus, 136-7, 139, 412, 813, 815
Ophichthus, 610
 guttifer, 610
 ocellatus, 610
 retropinnis, 610
 spinicauda, 610-1
 zonatus, 611
Ophidascaris
 trichuriformis, 202
Ophioblennius, 59
 steindachneri, 429
Ophisaurus, 584
 attenuatus, 381
Ophryoessoides, 79-80, 87-9, 728, 742
 aculeatus, 82, 85-6, 88-9
 arenarius, 84-5, 88-9
 caducus, 82-5, 88-9
 dumerilii, 84-5, 88-9
 erythrogaster, 84-6, 88-9
 festae, 88
 formosus, 84, 88-9
 guentheri, 85, 88-9
 haenischii, 84-5, 88-9
 iridescens, 83-5, 88-9
 liocephaloides, 84-5, 88-9
 lineogularis, 84, 88-9
 ornatus, 84, 88-9
 rhodomelas, 84, 88-9
 scapularis, 82, 84-5, 89
 trachycephalus, 83-5, 89
 tricristatus, 79, 84-5, 87-9
Opsanus, 846, 848, 859
 astrifer, 846, 848
 barbatus, 846, 848
 beta, 800
 tau, 848
Opsariichthys, 293
Orthagoriscus
 mola, 622
Orthonopias
 triakis, 31
Osteocephalus, 78, 728
Osteoglossum, 319
Osteolaemus, 884
Oxybelis, 378, 727, 732, 749
 aeneus aeneus, 371
 fulgidus, 706
Oxyconger, 324
 leptognathus, 324
Oxynotus
 caribbaeus, 356
 centrina, 357
Oxyrhopus, 726, 732, 749
Oxyzygonectes, 783
 dowi, 781, 788
Paleosuchus, 729, 738, 743, 884
Pamphorichthys, 769
Pandion
 haliaetus, 150
Pantodon, 319
Paraclinus, 59, 142
 marginatus, 434
Paralepis, 304
 atlantica, 304
 coregonoides, 304
Paraneetroplus, 792
Parapetenia, 792
Parexocoetus, 261
 brachypterus, 261
 mento, 254, 256-7, 261-2
Parvimolge, 707, 726, 731, 738, 748
 richardi, 746
 townsendi, 746
Percina
 caprodes, 28
 copelandi, 28
 crassa, 829
 evides, 829
 maculata, 28
 nigrofasciata, 829
 peltata, 27-8
 peltata, 20, 24, 27

- Percopsis*
omiscomaycus, 471
Perognathus, 682
Peromyscus, 252, 682
gossypinus, 252
Petenia, 773, 778
splendida, 793
Petromyzon
marinus, 338
Petrosaurus, 81
Phago, 880
Phallichthys
amantes, 777, 791
fairweatheri, 791
tico, 782, 791
Phareodus, 311, 319
testis, 317, 319
Phenagoniates
macrolepis, 784
Philodryas, 728
Philothamnus, 173
heterodermis, 172-3, 177
heterolepidotus, 172-3
irregularis, 172-3, 177
semivariatus, 173, 177
Phimophis, 726, 732, 749, 760
guianensis, 371
Phoxinus, 815
Phoxiscus, 290
Phrynocephalus, 632
Phrynohyas, 725, 731, 748
venulosa, 705-6
Phrynos, 728
Phrynosaura, 79, 81, 84-6, 89
marmorata, 90
werneri, 90
Phrynosoma, 81, 126-7, 590, 626
asio, 627
cornutum, 127, 627
coronatum, 627
jamesi, 648
douglassi, 627
mcalli, 626-7
modestum, 127, 626
platyrhinos, 626
solare, 120, 627
taurus, 627
Phyllobates, 726, 731, 748
Phyllodactylus, 103-4, 162, 164, 166, 727, 731, 748
marmoratus, 101-2, 166, 230-2
tuberculosus, 706, 751
Phyllomedusa, 74, 78, 236, 238, 725, 731, 744, 748
annae, 78
burmeisteri, 78
callidryas, 78, 704, 751
dacnicolor, 78, 712
guttata, 239
helenae, 704
hypochondrialis, 78
lemur, 238
loris, 238
moreleti, 714
rohdei, 78
sauvagii, 78
Phyllorhynchus, 378, 662
Phyllurus, 103-4, 162, 164, 166, 233
milii, 100, 102, 106, 166, 231, 235
Physalaemus, 75, 728
Physignathus
longirostris, 100, 102, 105-6, 164
Piabucina, 786
festae, 786
panamensis, 786
Picea, 676
Picorellus, 4
Pimelodella
chagresi, 787
Pimelodus
cavia, 808
clarias, 787
Pimephales
promelas, 308-9, 382, 457-8, 465
confertus, 457, 465
harveyensis, 457, 461
promelas, 457, 465
Pinus, 320
caribaea, 693, 701, 717
ponderosa, 676
reflexa, 676
Pipa, 728
Pisodonophis
daspilotus, 795
Pithecopus, 236, 238, 240
ayeaye, 236-9
azureus, 240
boliviana, 236
burmeisteri bahiana, 236
burmeisteri, 236
distincta, 236
iheringii, 236
coelestis, 236
hypochondrialis, 240
azureus, 236, 239
hypochondrialis, 236
nicefori, 236
rohdei, 236, 239
sauvagii, 236
tarsius, 236
tomopterna, 236
trinitatis, 236
vaillantii, 236
Pituophis, 378, 727, 732, 748
catenifer, 680
lineaticollis, 714, 753
Platycephalus, 267
indicus, 255-6, 267
insidiator, 267
Platynotus, 79, 81-6
Plecodus, 880
Plectrohyla, 726, 731, 748
avia, 753
cozicensis, 753
glandulosa, 710
guatemalensis, 709, 753
ixil, 753
matudai, 753
quechchi, 753
sagorum, 753
Plethodon, 558, 888, 909
cinereus, 182-9, 191-2
glutinosus, 192, 575, 889
jordani, 888-9
clemsonae, 889
melaventris, 889
Pleurodema, 75, 726, 731, 748-9, 760
bibroni, 524
brachyops, 371, 747, 760
bufonina, 75
Plica, 79, 81-6, 728
plica, 89

stejnegeri
tubercul
umbra, 8
Pliocercus,
elapoides
Podocnem
Poecilia, 7
caucana
formosa
latipinn
mexican
petenen
sphenot
sulphur
velifera
Poecilicht
inscript
swanna
thalassi
zonalis
Poeciliops
elongat
fasciata
gracilis
prolifia
retropi
turrub
Poeciloso
Polychru
Polyodon
spathu
Pomadas
boucar
boyant
branic
croco
leucisc
macra
Pomoxis
annul
Populus
fremos
Porichth
margo
paucin
Potama
izabal
nelson
Potamo
crispi
nodos
vagin
zoster
Pranesu
pingu
Priacan
cruen
macr
meek
Priapel
boni
comp
inter
Priapic
anne
dario
pano
Pristis
mich

- stejnegeri*, 90
tuberculatum, 90
umbra, 89
Pliocercus, 705, 708, 727, 732, 749
elapoides, 704
Podocnemis, 728
Poecilia, 769, 816
caucana, 789
formosa, 789
latipinna, 789
mexicana, 777, 789
petenensis, 789
sphenops, 789
sulphuraria, 789
velifera, 789
Poecilichthys, 824
inscriptus, 833
swannanoa, 835
thalassinus, 831
zonalis, 824
Poeciliopsis, 777-8, 780, 782-3, 790-1
elongata, 783, 791
fasciata, 790
gracilis, 790
prolifera, 879
retropinna, 783, 791
turubarensis, 790
Poecilosoma, 824
Polychrus, 726, 731, 748
Polyodon
spathula, 356, 876
Pomadasy
boucardi, 798
boyanus, 798
branicki, 798
croco, 798
leuciscus, 798
macracanthus, 798
Pomoxis
annularis, 359, 360
Populus, 676
fremontii, 678
Porichthys, 846-8
margaritatus, 331
pauciradiatus, 331
Potamarius, 777, 781
izabalensis, 795
nelsoni, 795
Potamogeton
crispis, 21
nodosus, 21
vaginatus, 21
zosteriformis, 21
Pranesus
pinguis, 255-7, 263
Priacanthus
cruentatus, 870-2
macracanthus, 869, 871
meeki, 870-1
Priapella, 778-9, 780
bonita, 789
compressa, 789
intermedia, 789
Priapichthys, 783
annectens, 790
darienensis, 790
panamensis, 790
Pristis, 385, 620
microdon, 620, 794
pectinatus, 396, 620, 782, 794
perotteti, 395-6, 620, 794
Pristonotus, 87-8
schreibersii, 87
Proctoporus, 728, 742
Proctotretus, 79, 81-6
arenarius, 90
azureus, 89
doellojuradoi, 90
pectinatus, 89
Profundulus, 773, 781, 784
candalarius, 788
guatemalensis, 788
hildebrandi, 788
labialis, 788
punctatus, 788
Prosopis
juliflora, 676
Prosopium
coulterii, 338
williamsoni, 479
Prostherapis, 726, 731, 748
Prosymna
meleagris, 177
Protopipa, 726, 731, 748-9
parva, 747, 760
Psammophis
angolensis, 125-6
elegans, 175, 177
sibilans, 175, 177
philipsii, 175
sibilans, 175
Pseudacris, 595-7
nigrita, 909
triseriata, 381, 562, 571, 596
Pseudecheneis, 872, 874
Pseudemys, 727
rubriventris, 592
scripta, 703
Pseudis, 728
Pseudoboa, 726, 732, 749
neuwiedi, 371, 713
Pseudocerastes
fieldi, 506
Pseudocheirodon, 784
affinis, 784
Pseudoeurycea, 707, 726, 731, 738, 746, 748, 756, 760
expectata, 753
goebeli, 753
rex, 710, 723, 753
Pseudoficimia, 372
Pseudohaje
nigra, 175, 177
Pseudomyrophis, 321, 323-4
micropinna, 323-4
nimius, 323-4
Pseudopaludicola, 728
Pseudophallus
mintii, 797
starksi, 796
Pseudophryne
bibroni, 96
dendyi, 96
Pseudopleuronectes, 815
Pseudopoecilia, 769
Pseudotomodon, 886
Pseudotsuga, 676
Pseudoxiphophorus, 769, 778

- dorsalis*, 706, 750
Rhizoclinum, 614
Rhizoprionodon
 acutus, 355
 terraenovae, 349-50
Rhoadsia, 782
 eigenmanni, 785
Rhodeus
 amarus, 813
Rhodona, 231, 233-4
 planiventrale, 231-2, 235
Rhothoea, 824
Rhyacotriton, 576
 olympicus, 573-7
Rhynchodactylus, 162
Rhynchoedura, 103, 162, 164, 166
 ornata, 101-2, 164, 166
Rhynchoedella
 aculeata, 813
Richardsonius, 314
 balteatus, 135
 × *Rhinichthys osculus*, 135
 hydrophlox, 134-5
 egregius, 136
 × *Rhinichthys osculus*, 136
 × *Siphateles bicolor obesus*, 136
 × *Siphateles obesus*, 136
 microdon, 136
Rithrogena, 484
Rivulus, 783, 788
 brunneus, 788
 chucunaque, 788
 flabellicauda, 788
 godmani, 788
 hendricksi, 788
 hildebrandi, 788
 isthmensis, 788
 montium, 788
 myersi, 788
 tenuis, 788
 volcanus, 788
Roeboides, 768, 772, 776
 occidentalis, 785
 guatemalensis, 785
 salvadoris, 781, 785
Roripia, 614
Runula, 880

Sabal
 palmetto, 149
Saleclinus
 brilloughbii, 816
Salminus, 768
Salmo, 346-8, 358, 414, 419, 630
 aquabonita, 599-600
 × *clarkii*, 599
 cambricus, 346
 clarkii, 346-8, 382, 414, 479, 599, 600, 908
 clarkii, 347, 422, 423
 lewisi, 135, 418, 422-3
 pleuriticus, 422
 spilurus, 422
 stomias, 414, 422
 virginalis, 422
 fario, 346-7
 gairdnerii, 338, 346-8, 412, 414, 479, 816-7
 gairdnerii, 346-7
 gilberti, 347
 kamloops, 347
 stonei, 347
 gilae, 423
 irideus, 346-7
 mykiss, 346-8
 stomias, 414
 penshinensis, 346-7
 purpuratus, 346
 rossi, 346
 salar, 346-7, 909
 stomias, 414
 trutta, 346-7, 479, 613, 816
 × *Salvelinus fontinalis*, 599
 trutta, 613
Salvadora, 662
 deserticola, 680
Salvelinus, 358, 629
 alpinus, 346
 fontinalis, 135, 357-9, 414-5
 × *Oncorhynchus nerka*, 357, 359
 × *Salmo trutta*, 599
Sanopus, 846, 848
Sardina
 pilchardus, 269
Sardinella, 269
 aurita, 269, 354
 eba, 354
 gibbosa, 269
 maderensis, 269
 sirm, 269
Sardinops
 caerulea, 821
 neopilchardus, 820
Sargus
 noct, 271
Sator
 angustus, 588
 grandaevus, 588
Saurida
 grandisquamis, 260
 tumbil, 258
 undosquamis, 254-8, 260-1, 265-6
Sauromalus, 657, 742
Saurus
 undosquamis, 260
Scaevola, 100
Scaphiodontophis, 727, 732, 749
Scaphiophis
 albopunctatus, 177
Scaphiopus
 hammondi, 894
Scarichthys, 271
 cocruleopunctatus, 271
Scartiscus, 88
 cauducus, 88
Scarus
 siganus rivulatus, 266
Sceloporus, 81, 590, 709, 714-5, 727, 731, 742, 748, 762
 carinatus, 753
 chrysostictus, 704, 706
 formosus, 709-10, 714, 760
 graciosus, 109, 120
 magister, 588
 rufidorsum, 648
 malachiticus, 704, 709-10, 714, 718, 753
 occidentalis, 109, 120, 165
 orcutti, 120
 prezygous, 753
 spinosus, 590
 squamosus, 759
 undulatus, 120

variabilis, 706, 753, 759
virgatus, 109
Scelotrema, 88
crassicaudatum, 88
formosum, 88
Sciaena
aquila, 257
rubra, 262
Scincella
cherriei, 705
Scolecophis, 713, 726, 732, 749
atrocinctus, 751, 759
Scolecosauris, 726, 731, 742, 748-9
Scomber
brachyurus, 622
djeddaba, 264
japonicus, 267, 820-1
Scomberesox
saurus, 820-1
Scopelarchus
sagay, 896
Scopelengys, 896
Scorpaenichthys
marmoratus, 31
Scorpiis
aequipinnis, 819-20
Scyris
alexandrinus, 270-1
gallus, 270
Scytalina, 142
Sebastodes, 489-91
auriculatus, 490-3
caurinus, 489-93
chlorostictus, 489-94
constellatus, 490-3
dallii, 490-1, 493
elongatus, 490-1, 493
eos, 489-93
flavidus, 490-1, 493
goodei, 490-1, 493
helvomiculatus, 494
hopkinsi, 490-3
levis, 490-1, 493
macdonaldi, 490-1, 493
melanops, 490-1, 493
miniatus, 490-1, 493
mystinus, 490-3
nebulosus, 490-1, 493
ovalis, 490-1, 493
paucispinis, 490-1, 493
pinniger, 490-1, 493
rhodochloris, 490-1, 493-4
rosaceus, 490-1, 493
rubrivinctus, 490-1, 493
rufus, 490-3
saxicola, 490-1, 493
serranoides, 490-1, 493
serriceps, 490-1, 493
umbrosus, 494
vexillaris, 489-91, 493
Sebastosomus, 493
Selenaspis
dowi, 795
Semotilus, 308, 310
atromaculatus, 306, 308-10
Sequoia, 320
Serenoa
repens, 149
Seriola
grandis, 819-21

Serranus
cabrilla, 257
melanurus, 271
monhua, 271
morhua, 271
Serrasatmus, 768
Sibon, 705, 727, 732, 749
Sibynomorphus, 728
Sicydium, 783, 867
altum, 800
gymnogaster, 800
multipunctatum, 800
pittieri, 800
salvini, 800
Siganus, 267
luridus, 255-6, 267
nebulosus, 266
rivulatus, 255-6, 258, 266-7
siganus, 266
spinus, 267
Siphateles
bicolor obesus, 136
 × *Rhinichthys osculus*, 136
 × *Richardsonius egregius*, 136
pectinifer, 136
obesus, 136
 × *Richardsonius egregius*, 136
Siphlophis, 726, 732, 749
Siphonops, 728
Siredon
harlanii, 881-2
lichenoides, 882
melanosticta, 881
Sisor
rhabdophorus, 624
Sistrurus
miliarius, 506
Smilisca, 381, 727, 731, 748
baudini, 704, 706, 708
cyanosticta, 751
phaeota, 704, 751
Smithichthys
fucorum, 58
Snyderichthys, 134
aliciae, 134
Spartina, 617
Sphaerodactylus, 727, 731, 748
pacificus, 371
Sphenomorphus, 165, 233, 593
labillardieri, 101-2, 165
leonhardii, 230-2, 235
lesueurii, 101-2, 108, 165, 233
Sphoenorhynchus, 78
Sphoeroides, 268
annulatus, 800
lunaris, 268
spadiceus, 256, 268
testudineus, 800
Sphyræna, 145-6, 300
africana, 145
argentea, 145
barracuda, 144-6
chrysotaenia, 254-6, 258, 262, 267
genie, 145-6
jello, 146
obtusata, 262
toxeuma, 145
Sphyrna
mokarran, 348-51

tiburo,
zygaena
Spilotes,
Spinifex,
Sprengler
Squalus
acanthi
Stathmon
Staurotyl
Stefanole
hispidi
Steindach
argente
Steironot
arenar
carinat
rosei
schreib
torqua
Stellifer
lanceol
rastrif
Stenocer
atrigr
boeltg
chryso
carrio
crassie
cupre
diffici
hume
junin
marm
melan
moest
nigro
roseir
seydi
simon
tachn
varia
vari
Stenorn
Stephan
diasp
oche
webe
Stereoc
Sternaj
daria
Stomat
Storeri
trop
Strobil
Strong
exili
mar
nota
scap
timu
Sturis
cit
pan
Synap
Synbr
mar
Synch
gill
Syngn
elco

- tiburo*, 349, 351, 453, 455
zygaena, 350
Spilotes, 725, 732, 749
Spinifex, 100
Sprengleri, 603
Squalus
 acanthias suckleyi, 474
Stathmonotus, 60
Staurotypus, 726, 731, 748
Stefanolepis
 hispidus, 268
Steindachneria, 275-7, 279-80
 argentea, 275-7, 279
Steironotus, 87
 arenarius, 88
 carinatus, 87
 roseiventris, 87
 schreibersii, 87
 torquatus, 87
Stellifer
 lanceolatus, 798, 880
 rastrifer, 798
Stenocercus, 79, 81-8, 728, 742
 atrigrularis, 90
 boettgeri, 89
 chrysopygus, 89
 carriani, 90
 crassicaudatus, 86, 90
 cupreus, 89
 difficilis, 86, 90
 humeralis, 90
 juninensis, 90
 marmoratus, 89
 melanopygus, 90
 moestus, 86, 89
 nigromaculatus, 89
 roseiventris, 86, 89
 seydi, 90
 simonsi, 89
 tachnae, 90
 variabilis, 90
 varius, 89
Stenorrhina, 727, 732, 749
Stephanolepis
 diaspros, 256, 267-8
 ocheticus, 268
 weberi, 268
Stereocyclops, 741
Sternapygus
 dariensis, 786
Stomatosuchus, 884
Storeria, 727, 732, 738, 746, 748
 tropica, 745-6
Strobilurus, 87-8
Strongylura
 exilis, 796
 marina, 796
 notata, 796
 scapularis, 796
 timucu, 796
Sturisoma
 citurense, 788
 panamense, 788
Synapturanus, 728
Synbranchus
 marmoratus, 794
Synchirus
 gilli, 31
Syngnathus
 elcapitanensis, 783, 796
 scovelli, 796
Synodus
 variegatus, 258
Syrrhophus
 marnockii, 524
 leprus, 524
Tachymenis, 886
 chiliensis, 886
 peruviana, 886
Taeniopsetta, 867
Tamala
 borbonia, 149
Tanichthys, 285-9, 292-3
 albonubes, 285-9, 292-3, 295
Tantilla, 378, 705, 727, 732, 749
 bairdi, 753
 schistosa, 751
Tantillita, 726, 732, 749
Taricha, 130-1, 251
 granulosa, 131
 rivularis, 131, 257, 515
 torosa, 131
Tarpon
 atlanticus, 395-6, 400
Teius, 202, 742
Telescopus
 obtusis, 177
 variegatus, 174, 177
Telmatobius, 75
Temnodon
 saltator, 257
Tenebrio, 495
Teratohyla, 726, 731, 748
Terrapene, 727, 731, 748, 886
 carolina, 549
 culturalia, 886
 mexicana, 746
 ornata, 112, 381
Tetraodon, 603
 lagocephalus, 602-3
 lineatus, 603
 lunaris, 268
 pennanti, 603
Tetraprion, 572, 728
Tetrapturus
 audax, 818, 820
 belone, 272
Tetrastichus, 88
Tetrodon
 lunaris, 268
 spadiceus, 268
Teuthis
 sigana, 266
Thalassoma
 lucasanum, 429
Thalassophryne, 846-54, 856-7, 860, 862-3
 amazonica, 846-53, 857-8, 862-3
 branneri, 856-7
 depressa, 862
 dowi, 859, 861-2
 gerringi, 850, 852, 860-2
 maculatus, 852
 maculosa, 846, 848-60, 863
 megalops, 846, 848-54, 856-8
 montevideensis, 846-7, 849-53, 856-9, 863
 nattereri, 846, 849-59
 platensis, 846, 858-9
 punctata, 846, 849-53, 856-8

- quadrizonatus*, 846-7, 852-3, 855, 863
reticulata, 860
wehekindi, 846, 849, 852-3, 855-6
Thalassothia, 846-7, 849, 858-9
montevicensis, 858
Thamnodynastes, 372, 728, 886
Thamnophis, 727, 732, 746, 748, 909
cyrtopsis, 680, 753
marcianus, 680
proximus, 706, 746
radix, 651
Thecadactylus, 727, 731, 748, 750, 758
rapicaudus, 705, 750-1
Theletornis
kirtlandii, 174-5, 177
Therapon, 631
jarbua, 271
Theraps, 791
Thorichthys, 778-9, 793
Thorius, 707, 710
Thoropa, 75
miliaris, 75
Thrasops
flavicularis, 173, 177
occidentalis, 173-4, 177
Thrinops, 796
Thunnus
alalunga, 821
albacares, 355
Thysites
atun, 819-20
Tilapia, 55
mossambica, 50-5, 614
zilli, 50-1, 53
Tiliqua, 99, 103-4, 106, 108
occipitalis, 101-2, 105-6
rugosa, 101-2, 105-6
Toluca, 371-2
lineata, 372
lineata, 372
varians, 372
Tomistoma, 884
Tomocichla
underwoodi, 793
Tomodactylus
niditus, 524
Tomodon, 371-2, 885-6
dorsatus, 886
Tomuopeltis, 210
Trachinocephalus
myops, 258, 896
Trachurus, 148
novaezelandiae, 819-20
symmetricus, 821
murphyi, 821
Trachyboa, 726, 732, 737, 743, 748-9
Trachycephalus, 78
Trachycorystes
amblops, 786
Trachyrhynchus, 276
Tretanorhinus, 727, 732, 749
Triathalassothia, 847
devincenzii, 847
Trichiurus
haumela, 272
lepturus, 272
Trichogaster
fasciatus, 813, 815-6
Tribolium, 495
Triolops, 148
Trimeresurus, 513
erythrusus, 506-7, 511, 513
gramineus, 506
Trimetopon, 708, 726, 732, 744, 749
gracile, 753
slevini, 708, 753
Trimorphodon, 378, 727, 732, 749
biscutatus, 706, 751, 759
lambda, 680
Trinectes
fonsecensis, 800
maculatus, 800
Triodon, 603
bursarius, 603
Tripanurgos, 726, 732, 749
Triprion, 78, 572, 725-6, 731, 748, 751
petasatus, 381, 706
Tropidechis, 893
dunensis, 893
Tropidodipsas, 708, 726, 732, 749
fischeri, 753
Tropidonotus
natrix, 511, 513
Tropidophis, 737, 743
Tropidurus, 78, 81-5, 87, 728
albemarlensis, 89
bivittatus, 89
blainvillii, 90
bocourtii, 89
cubensis, 87
delanonis, 89
duncanensis, 89
grayii, 87, 89
halbeli, 89
hispidus, 89
holotropis, 89
melanopleurus, 90
occipitalis, 89
pacificus, 89
peruvianus, 89
pictus, 90
schreibersii, 87
spinulosus, 89
theresia, 90
thoracicus, 90
torquatus, 89
unicarinatus, 89
Trygon
uarnak, 259
Tupinambis, 728, 742
Tympanocryptis, 234
lineata lineata, 230-2, 235
tetraporophora, 230-2, 235
Typhliasina, 780
parsei, 778, 800
Typhlichthys, 310
subterraneus, 309
Typhlonectes, 728
Typhlops, 726, 731, 748
caecus, 177
leucostictus, 177
punctatus, 172, 177
Typhlotriton, 555-61
nereus, 555-61
spelaicus, 555-61
Ulocentra, 823, 825, 827
Uma, 81, 114, 119-20, 657, 742
notata, 109
scoparia, 114-21

Umbra
limi, 16,
pygmaea
Umbrina
vulgaris,
Ungaliophis
continent
Upeneoide
tragula,
Upeneus, 2
barberin
molucc
oligospi
tragula,
vittatus,
Upeneoides
molucc
tragula,
Uranosco
supercil
Urocentro
azureum
castor,
flavicep
guenth
meyeri,
werner
Urosauru
ornatu
Urotheca
dumer
Uta, 81,
stansbu
hesp
Valliser
ameri
Varanus
acanth
prin
gould
komos
prim

- Umbra*
limi, 16, 18, 594
pygmaea, 18
- Umbrina*
vulgaris, 257
- Ungaliophis*, 727, 732, 737, 743, 748
continentalis, 751, 759
- Upeneoides*
tragula, 265
- Upeneus*, 265
barberinus, 271
moluccensis, 254-7, 261, 265
oligospilus, 266
tragula, 256, 265-6
vittatus, 271
- Upenoides*
moluccensis, 265
tragula, 265
- Uranoscodon*, 79, 81-6
superciliosus, 89
- Urocentron*, 79, 81-6, 728
azureum, 89
castor, 90
flaviceps, 89
guentheri, 90
meyeri, 90
werneri, 90
- Urosaurus*, 81
ornatus, 109, 120, 165
- Urotheca*
dumerili, 887
- Uta*, 81, 495-6, 590, 742
stansburiana, 112, 120, 382, 495-7, 549-51
hesperis, 648
- Vallisneria*
americana, 21
- Varanus*, 583
acanthurus, 583-4
primordius, 583-4
gouldii, 101, 104-5
komodoensis, 148
primordius, 583-4
- Variola*
louti, 297, 300
- Verticaria*, 585-6
- Villora*, 823, 825
- Vinciguerrina*, 631
- Vipera*, 151
aspis, 152-4
berus, 153, 155
lebetina, 632
palaestinae, 506
persica, 506
yavara, 197
- Xanthichthys*
ringens, 821
- Xantusia*, 590
riversiana, 589
vigilis, 588
- Xenatherina*, 777, 780
lisa, 796
schantzi, 796
- Xenentodon*
cancila, 815-6
- Xenoboa*, 737, 743
- Xenodexia*, 778
ctenolepis, 791
- Xenodon*, 193, 726, 732, 749
merremii, 202
rabdocephalus, 704-5
- Xenophrynichthys*, 475
- Xenopus*, 530, 533
- Xenosaurus*, 598, 725-6, 731, 748
grandis, 598, 753
grandis, 598
rackhami, 598
rackhami, 598
- Xiphophorus*, 769, 778, 780
clemenciae, 789
helleri, 780, 789
maculatus, 780, 789
milleri, 789
- Yucca*, 154, 676

SUBJECT INDEX

- Accessory respiratory organs, 136-9, 607-9
 Adaptation studies (pre-introduction), *Cynolebias bellotti*, 839-45
 Air-breathing fishes, 136-9, 606-9
 Allometric growth, *Echiostoma barbatum*, 44-7
 Anatomy
 cephalic lateral-line system, 352-3, 405-12
 forebrain and olfactory structures, anacanthine fishes, 277-8
 general, *Esox a. americanus* and *E. a. vermiculatus*, 13-4
 middle ear, *Coleonyx variegatus*, 520-4
 placenta and gravid uterus, *Carcharhinus falciformis*, 451-6
 reproductive tract, *Plethodon cinereus*, 187-9
 sound-producing organs, *Clarias batrachus*, 622-4
 priacanthid fishes, 869-72
 swimbladder, anacanthine fishes, 278-9
 venom glands, crotaline snakes, 509
 Anomalies
 caudal scoliosis, *Rana pipiens* tadpoles, 582-3
 developmental, *Clinocottus analis*, 39
 Rana, 363-4
 stubby vertebral deformity, *Fundulus cingulatus*, 878-9
 Behavior
 burrowing, *Chionactis occipitalis*, 650-64
 general, *Bufo woodhousei*, 581-2
 Cnemidophorus labialis, 648-9
 Tilapia mossambica, 50-5
 homing, *Ambystoma maculatum*, 515-9
 Desmognathus auriculatus, 251-3
 reproductive, *Acanthemblemaria macrospilus*, 432-5
 Agkistrodon piscivorus, 150
 Engystomops pustulosus, oviposition cues, 225-9
 Lampetra japonica, 227-8
 Percina p. bellata, 21-8
 territorial, *Percina p. bellata*, 23-4
 Tilapia mossambica, 53
 thermoregulatory, Australian lizards, 97-8, 103, 165-8, 231-5
 Amblyrhynchus cristatus, 241-50
 Bufo woodhousei fowleri, 581-2
 reptiles, post-feeding, 588-90
 Philippine skinks, 593-4
 Biochemical taxonomy, South American anurans, 74-8
 Biology, *Esox a. americanus* and *E. a. vermiculatus*, 16
 Micromesistius poutassou, 303-4
 ranids, northwestern U. S., 62-4
 Uma scoparia, 119-21
 Blood cells, elasmobranchs, 348-51
 Breeding season, *Fundulus heteroclitus*, 617-8
 Cardiovascular physiology, *Alligator mississippiensis*, 552-4
 Central American environment
 climate, 690-2
 extent, 684-5, 774-7
 hydrography, 687-90
 paleogeography, 694-8
 surface configuration, 685-7
 vegetation, 692-4
 Central American herpetofauna
 development, 739-62
 dispersal routes and barriers, 716-8
 ecological assemblages, 704-16
 habitats, 701-4
 historical elements, 733-9
 origins, 762-4
 recent fauna, 725-33
 Central American ichthyofauna
 derivation, 769-70
 distribution, 773-800
 evolution and dispersal, 770-1
 geologic correlations, 771-2
 peripheral fishes, 794-800
 primary fishes, 784-8
 provinces, 777-84
 secondary fishes, 788-94
 Chromatographic studies, South American anurans, 74-8
 Chromosomes, *Acris crepitans blanchardi*, 578-80
 Ciguatera toxin, 297-300
 Circadian rhythm, *Chionactis occipitalis*, 654-5
 Coloration, *Akysis hendricksoni*, 469
 Carcharinus falciformis, 355
 chaenopsid fishes, tropical east Pacific, 427-8, 432, 436-7
 Chinese cyprinids, 286-7, 291-2, 294-5
 Cnemidophorus, 500-3
 C. celeripes, 373-4
 C. labialis, 645-6
 Esox a. americanus and *E. a. vermiculatus*, 15-6
 darters, *Etheostoma thalassimum* group, 832-6
 Lystrophis, 198-201
 ranids, northwestern U. S., 69-71
 Tilapia mossambica, 55
 Uma scoparia, 115-6
 Commensalism, *Etheostoma spectabile* with *Micropterus dolomieu*, 139-40
 Cutaneous gas exchange, ambystomid salamanders, 573-7
 Delayed fertilization, *Uta stansburiana*, 549-51
 Development
 ova, *Clinocottus analis*, 40-1
 Cynolebias bellotti, 841-3
 Heliopterus eyrei, 93-5
 skull, *Hyla septentrionalis*, 562-72
 suprabranchial organ, *Macropodus opercularis*, 607-9
 Distribution, amphibians and reptiles, Azuero Peninsula, Panama, 371
 Amphisbaena mertensi, 535
 Anoplarchus insignis and *A. purpureus*, 342-4
 Bolitoglossa, South America, 360-3
 freshwater fishes, Central America, 773-800
 Cetomurus globiceps, Gulf of Mexico, 439, 441-2
 chaenopsid fishes, tropical east Pacific, 424-37
 Chionactis occipitalis, Baja California, 364
 herpetofauna, Central America, 704-16
 Esox a. americanus and *E. a. vermiculatus*, 4-6, 16-8
 fishes, sinking creeks, Kentucky, 306-10
 Gambusia affinis, Montana, 614-16
 Graptemys pseudogeographica, fossil, Michigan, 368-9
 Helicolenus dactylopterus, Gulf of Maine, 877

- Heloderma suspectum cinctum*, Nevada, 365-6
 hiodontid fishes, 319-20
Lampetra japonica, Alaska, 334-7
Leiocephalus, 80
Leptotyphlops, Barbados, 125
 rattlesnakes, Arizona, 679-83
Lygophis boursieri, Colombia, 886-8
Lystrophis, 197
Melanostigma pammelas, eastern subarctic Pacific, 601-2
Micromesistius poutassou, 301-2
 Nevada fishes, 134-6
Pseudemys rubriventris, subfossil, Martha's Vineyard Island, 592
 ranids, northwestern U. S., 61-2, 71-3
 Red Sea fishes, Mediterranean, 254-72
 sea turtles, British Guiana, 123-4
 sharks and sawfish, Lake Izabal-Rio Dulce system, Guatemala, 620-2
 snakes, Sierra Leone, 169-79
 thalassophrynin fishes, 846-62
 wormfishes, 325, 331
 Diving saucer, observation of pelagic flatfish, 865-7
 Drinking habits, *Holbrookia maculata* and *Phrynosoma* spp., 126-8
 Ecology, *Amblyrhynchus cristatus*, 241-50
 darters, *Etheostoma thalassinum* group, 829-31
 hiodontid fishes, 319-20
Lystrophis, 202
 ostariophysan fishes, 767-9
 Ectoparasitism, by *Galeichthys felis*, 880
 Eggs, *Amblyrhynchus cristatus*, 585
Amphiuma means, 598-9
Badis badis, 605-6
Clinocottus analis, 30-4
Fundulus heteroclitus, 616-9
Hydrolagus colleei, 132-4
Uma scoparia, 117-9
Xenosaurus grandis, 598
 Egg placement, *Badis badis*, 605-6
 Egg capsule, *Neoharriotta carri*, 445, 448-9
 Electrophoretic studies, West Indian *Anolis*, 179-82
 hemoglobins, *Rana pipiens*, 889-93
Sebastodes, 489-94
 ranids, northwestern U. S., 67-9
Taricha, 130-2
 Evolution, Ostariophysan, 767-9
 Fecundity, *Amphiuma means*, 598-9
Clinocottus analis, 33-4
Cnemidophorus sexlineatus, 111-3
 Feeding, *Chionactis occipitalis*, 661
 Fertilization, *Agkistrodon piscivorus*, 150-1
Clinocottus analis, 30-3
Heleioporus eyrei, 92-3
Uta stansburiana, 549-51
 Foods, marlins, New Zealand, 818-22
Micromesistius poutassou, 304
 paddlefish, 356
Rhinichthys cataractae, 478-84
 Fossils, crocodilians, 882-5
 fishes, 311-20
 frogs, 524-9
 turtle, 368-9
 Growth, *Agkistrodon piscivorus*, 158-60
Macropodus opercularis, 606-9
Plethodon cinereus, 186-7
 Habitat, *Akysis hendricksoni*, 469
 Australian lizards, 100-1
Bregmaceros atlanticus, north-central Gulf of Mexico, 604-5
 Central American cold-blooded vertebrates, 684-99, 701-4
 chaenopsid fishes, tropical eastern Pacific, 429, 432-3
Cnemidophorus labialis, 648
Percina p. peltata, 21
 rattlesnakes, Arizona, 676-83
 Hatching, *Helioporus eyrei*, 95
 Hemoglobins, *Rana pipiens*, 889-93
Sebastodes, 489-94
 Histochemistry, venom glands, crotaline snakes, 506-14
 Histology, cephalic lateral-line system, 408-11
 pituitary gland, *Clarias batrachus*, 811-17
 placenta and gravid uterus, *Carcharhinus falciformis*, 453-6
 skin, head of *Hybopsis gelida*, 872-4
Salmo trutta, 613-4
 skull ossification, *Hyla septentrionalis*, 562-3, 567-9, 572
 suprabranchial organs, *Macropodus opercularis*, 608-9
 testis, *Cnemidophorus tigris*, 590-2
 venom glands, crotaline snakes, 506-14
 Hormones, follicle stimulating hormone, effects on *Uta*, 495-7
 pituitary, effects on frog mating calling, 637-44
 testosterone, effects on guppies, 283-4
 effects on *Uta*, 495-7
 Hybridization
 Artificial, *Oncorhynchus nerka* × *Salvelinus fontinalis*, 357-9
 ranids, 64-7, 673-5
Salmo clarkii × *S. aquabonita*, 599-600
 Natural, *Bufo woodhousei* × *B. speciosus*, 366-8
Rhinichthys osculus × *Richardsonius egre-gius*, 136
Rhinichthys osculus × *Richardsonius bal-teatus hydrophlox*, 134-6
Richardsonius egre-gius × *Siphateles bicolor obesus*, 136
Salmo trutta × *Salvelinus fontinalis*, 600-1
Siphateles bicolor obesus × *Rhinichthys os-culus*, 136
 Immobilization of sharks, 611-2
 Immunological studies, ranids, northwestern U. S., 67
 James Bell collection, 584-5
 Karyotype, *Acris crepitans blanchardi*, 578-80
 Keys for identification
 Atlantic Rhinochimaeridae, 449-50
Blanus from Asia Minor, 221-2
 subfamilies of Batrachoididae and species of Thalassophryinae, 848-9
 Lipid-positive cells, testis of *Cnemidophorus*, 590-2
 Litter size, *Agkistrodon piscivorus*, 155-6
 Mating calls, hormonal influence in frogs, 637-44
 Melanism, paddlefish, Montana, 876
 Morphology, *Akysis hendricksoni*, 467-9
Amphisbaena mertensi, 535-547

- anacanthine fishes, 276-9
Blanus, 207-21
Bolitoglossa, South America, 361-63
 Costa Rica, 669-72
Branchiostoma bennetti and *B. floridae*, 485-9
Calamodontophis paucidens, 885-6
Carcharinus falciformis, 354-5
 chaenopsid fishes, tropical east Pacific, 424-37
 Chinese cyprinids, 290-1, 292-4
Cnemidophorus ceralbensis, 585-8
C. celeripes, 373-4
C. estebanensis, 499-504
C. labialis, 645-7
Coniophanes joanae, 665-8
 darters, *Etheostoma thalassinum* group, 824-37
Esox a. americanus and *E. a. vermiculatus*, 6-13
Golem cooperae, 475-7
Hyla septentrionalis, 562-73
 immature *Oxynotus caribbaeus*, 356-7
Lampetra japonica, 334-6
Lebistes reticulatus, influenced by testosterone, 280-3
Leiocephalus, 81-6
Lygophis boursieri, 886-8
Lystrophis, 197-201
 macrourid fish, 440-1
Medusablennius chani, 56-60
 microdesmid fishes, 326-31
Neechelys buitendijki, 322-4
Neoharriotta carri, 443-50
Ophryossoides, 81-6
Pimephales promelas, 457-66
Pithecopus ayeaye, 236-40
 pituitary gland, *Clarias batrachus*, 810-17
 ranids, northwestern U. S., 69-71
Salmo clarki, Colorado, 414-23
S. mykiss, 346-8
 sharks from Lake Nicaragua, 386-95
 stichaeid fishes, 340-3
 thalassophrynin fishes, 846-62
Tropidechis dunensis, 893
Typhlotriton nerens, 555-61
Varanus primordius, 583-4
Mucous canals, *Neoharriotta carri*, 445-8
 Neoteny, *Typhlotriton*, 559-60
 Nomenclature, *Cokeridia crossota*, 879-80
 Osteology, sound-producing organs, *Clarias batrachus*, 622-4
Eleutherodactylus, Lesser Antilles, 525-8
Esox a. americanus and *E. a. vermiculatus*, 13
Glyptothorax cavia, 802-9
 hiodontid fishes, 312-7
Hyla septentrionalis, 562-73
 hyoid, *Coleonyx variegatus*, 520-4
Medusablennius chani, 57-9
Neechelys buitendijki, 321-3
 Oviparity, snakes, 371-3
 Oviposition, *Engystomops pustulosus*, 225-9
Hydrolagus colliet, 132-4
 Over-wintering, larval *Ambystoma maculatum*, 519
 Parasitism, *Lampetra japonica*, 338
Galeichthys felis, 880
 Pelagic flatfish, 865-7
 Physiology, cardio-vascular, *Alligator*, 552-4
 gas exchange, ambystomids, 573-7
 Pinhole camera eye, *Pomoxis annularis*, 359-60
 Predation, differential, fishes on tadpoles, 595-7
 Provenance of James Bell collections, 584-5
 Pulmonary gas exchange, ambystomids, 573-7
 Range extensions, *Emydoidea blandingi*, 894
Hyla squirella, 894
Natrix sipedon, 894
Scaphiopus hammondi, 894
 Redescription, *Calamodontophis paucidens*, 885-6
 Regeneration, hind limbs, *Rana* larvae, 530-3
 Reproduction, *Agkistrodon piscivorus*, 150-6
Cnemidophorus sexlineatus, 111-3
Gambusia affinis, Montana, 614-6
Plethodon cinereus, 183-93
 sea turtles, British Guiana, 123-4
Lebistes reticulatus, 280-4
Uma scoparia, 114-21
Uta stansburiana, 495-7
Xenosaurus grandis, 598
 Respiration, *Chionactis occipitalis*, 656-8
 Retarded growth in low environmental oxygen, *Macropodus opercularis*, 606-9
 Sensory structures, skin of head, *Hybopsis gelidus*, 872-4
 Sexual dimorphism, *Echiostoma barbatum*, 44-7
 skin of *Salmo trutta*, 613-4
 Sexual maturity, *Agkistrodon piscivorus*, 156-7
 Sihler technique, nerve staining, 470-5
 Soil characteristics, relative to burrowing by *Chionactis*, 652, 658-61, 663-4
 Sound production, *Clarias batrachus*, 622-4
 priacanthid fishes, 868-72
 Species composition, sinking creeks, Kentucky, 306-10
 Statistical study, *Pimephales promelas*, 457-66
 Status, *Acanthenchelys spinicauda*, 610-1
Amphisbaena mertensi, 535-47
 anacanthine fishes, *Macruronus*, *Lyconus*, *Steindachneri*, 275-80
Bathylagus milleri, 877-8
Bolitoglossa, Costa Rica, 669-72
Carcharinus leucas, Lake Nicaragua, 385-401
 Chinese cyprinids, *Tanichthys albonubes* and *Aphyocypris pooti*, 285-90
Cnemidophorus celeripes, 373-6
C. ceralbensis, 585-8
C. estebanensis, 498-505
Ctenogobius, 867-9
 darters, *Etheostoma thalassinum* group, 823-37
Hyla barbudensis, 524-9
Erythrolamprus ocellatus, 128-9
Etheostoma (subgenus), 824-9
Fundulus nolti and *F. lineolatus*, 353-4
 "Leuciscus" *rosei*, 311-20
Pithecopus, 237
Neechelys buitendijki, 322-4
Salmo clarkii, Colorado, 414-23
Salmo mykiss, 346-8
 stichaeid fishes, *Anoplarchus insignis* and *A. purpureus*, 340-5
Terrapene culturalia, 886
Tetraodon lagocephalus, 602-4
 thalassophrynin fishes, 846-62
Tropidechis dunensis, 893
Typhlotriton nerens, 555-61
Varanus primordius, 583-4

Survivorship

Synonymy,

*Ambystoma**Blanus*, *A.**Echiostoma**Esox a. a.**Leiocephalus**Lystrophis**Micrurus*

Technique

elasmobranch

Testis, sea

Thermoregulation

241-50

activity,

wood

critical

- Survivorship, *Ambystoma maculatum*, 517-9
 Synonymy, *Amphisbaena mertensi*, 540-1
Ambystoma tigrinum, 881-2
Blanus, Asia Minor, 221-2
Echiostoma barbatum, 47-9
Esox a. americanus and *E. a. vermiculatus*, 3
Leioccephalus, 87-8
Lystrophis dorbignyi, 196-7
Micrurus corallinus and *M. ibito-boca*, 369-70
- Technique, demonstration of calcified annuli, elasmobranch vertebrae, 351-2
 Testis, seasonal variation, *Uma scoparia*, 116-7
 Thermoregulation, *Amblyrhynchus cristatus*, 241-50
 activity, relative to body temperature, *Bufo woodhousei fowleri*, 581-2
 critical maxima, Australian lizards, 162-9
 relative to water economy, Australian lizards, 231-5
 Philippine skinks, 393-4
 post-feeding, reptiles, 588-90
 preferred body temperatures, Australian lizards, 102-9
 Toxicity, ciguatera toxins, 297-300
 Type localities, taxa in synonymy, *Ambystoma tigrinum*, 881-2
- Venom apparatus, crotaline snakes, 506-14
 toadfishes, 846
 Venomous fishes, 846-62
 Viviparity, snakes, 371-3
 Water balance, Australian lizards, 230-5
 Young, *Amblyrhynchus cristatus*, 585